

The User Perspective on Island-Ready 6G Communication: A Survey of Future Smartphone Usage in Crisis-Struck Areas with Local Cellular Connectivity

Leon Janzen
Secure Mobile Networking Lab
Technical University of Darmstadt
Darmstadt, Germany
ljanzen@seemoo.tu-darmstadt.de

Florentin Putz
Secure Mobile Networking Lab
Technical University of Darmstadt
Darmstadt, Germany
fputz@seemoo.tu-darmstadt.de

Marc-André Kaufhold
Science and Technology for Peace and Security
Technical University of Darmstadt
Darmstadt, Germany
kaufhold@peasec.tu-darmstadt.de

Kolja Straub
Secure Mobile Networking Lab
Technical University of Darmstadt
Darmstadt, Germany
kstraub@seemoo.de


Matthias Hollick
Secure Mobile Networking Lab
Technical University of Darmstadt
Darmstadt, Germany
mhollick@seemoo.tu-darmstadt.de



(a) You are taking a walk in **your city**.



(b) Suddenly, you feel several strong tremors and notice that everything around you is shaking.



(c) A siren sounds with a loudspeaker announcement: "Attention! The city has been hit by an earthquake. Please seek safety."

Figure 1: Crisis Scenario. This comic board introduced our participants to the assumed crisis scenario of our study, an earthquake. We individualized the first comic (Figure 1a) by replacing **your city** with the participant's city.

Abstract

Using smartphone apps during crises is well-established, proving critical for efficient crisis response. However, such apps become futile without an Internet connection, which is a common issue during crises. The ongoing 6G standardization explores the capability to provide local cellular connectivity for areas cut off from the

Internet in crises. This paper introduces to the HCI community the concept of cellular *island connectivity* in isolated areas, promising a seamless transition from normal operation to island operation with local-only cellular connectivity. It presents findings from a survey ($N = 857$) among adult smartphone users from major German cities regarding their smartphone usage preferences in this model. Results show a shift in app demand, with users favoring general-purpose apps over dedicated crisis apps in specific scenarios. We prioritize smartphone services based on their criticality, distinguishing between apps essential for crisis response and those supporting routines. Our findings provide operators, developers, and authorities insights into making user-centric design decisions for implementing island-ready 6G communication.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

CHI '25, Yokohama, Japan

© 2025 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 979-8-4007-1394-1/25/04

<https://doi.org/10.1145/3706598.3714324>

CCS Concepts

• **Computer systems organization** → **Availability**; *Reliability*; **Fault-tolerant network topologies**; *Cloud computing*; Peer-to-peer architectures; • **Computing methodologies** → *Self-organization*; • **Human-centered computing** → **Empirical studies in HCI**; • **Information systems** → *Distributed storage*; *Social networking sites*; • **Networks** → *Cloud computing*; **Mobile networks**; *Public Internet*; *Data center networks*; *Logical / virtual topologies*.

Keywords

User-Centric, Smartphone Interaction, Island-Ready, 6G Communication, Smartphone Usage, Island Connectivity, Local Communication, Island Networking, Local-First, Decentralized 6G, Distributed Core Network, Crisis, Resilience

ACM Reference Format:

Leon Janzen, Florentin Putz, Marc-André Kaufhold, Kolja Straub, and Matthias Hollick. 2025. The User Perspective on Island-Ready 6G Communication: A Survey of Future Smartphone Usage in Crisis-Struck Areas with Local Cellular Connectivity. In *CHI Conference on Human Factors in Computing Systems (CHI '25)*, April 26–May 01, 2025, Yokohama, Japan. ACM, New York, NY, USA, 22 pages. <https://doi.org/10.1145/3706598.3714324>

1 Introduction

For the past 20 years, the use of social media during emergencies and natural disasters has dramatically increased [92], thus receiving substantial attention within the research fields of Human-Computer Interaction (HCI) and Computer-Supported Collaborative Work (CSCW). As more and more people own a smartphone and carry it with them at all times [28, 105], smartphones have become a central tool for users to cope with crisis scenarios. While social media and dedicated crisis apps have been well-researched in the community, e.g., by [33, 109], the role of other general-purpose smartphone apps in crisis response has not received much attention [101]. To motivate further efforts in this field, our first research question is:

RQ1: Which apps do citizens prefer to use for crisis-specific use cases?

One area of concern for smartphone apps during crisis response is that Internet outages often accompany crises, but many smartphone apps require an Internet connection for full functionality. For example, the resilience strategy of the German federal network agency considers natural disasters, large-scale cyber attacks, and destruction during armed conflicts as threat scenarios for telecommunications networks [12]. In such scenarios where crisis-struck areas are also affected by Internet outages, users cannot use smartphone apps that require Internet connectivity. Furthermore, cellular services, such as emergency calls, telephony, and cell broadcasts, are unavailable as they require connection to the cellular core network that is most likely hosted outside the affected area.

With the upcoming standardization of the sixth-generation technology standard for cellular networks (6G), there are proposals to distribute the core network, primarily to achieve low latencies [19, 21, 72, 82]. However, decentralizing 6G also increases the probability that crisis-struck areas have a core network in proximity,

which operators could use to maintain local cellular Internet connectivity within the affected area. Section 3 defines such areas as *islands*, as they form a self-contained network isolated from the outside Internet, and introduces the conceptual model of *island connectivity*. We envision users on islands using their smartphone apps locally, giving them access to crisis-relevant apps and letting them communicate with friends on the island. Other apps and services, however, would not be available on islands, e.g., smartphone apps that require remote server connections and telephony with people outside the island. Considering the findings of our narrative review [85], understanding the user-smartphone interaction on islands with local cellular connectivity is an unstudied research problem. We contribute to this field with our second research question:

RQ2: Which apps do citizens prefer to use in isolated areas with local connectivity?

We designed and conducted a survey ($N = 857$) to understand smartphone usage with island connectivity and answer research questions **RQ1** and **RQ2**. Section 4 discusses our study design and sample representative of general adult smartphone users in major German cities. Our findings indicate that there is demand for general-purpose apps in crisis response, e.g., users prefer messengers and news apps for communication and information. We studied which apps users prefer with island connectivity, finding a demand increase for some apps, e.g., messengers, news, and crisis apps, and a demand decrease for others, e.g., sports, shopping, and travel apps. Section 5 describes our findings in detail.

Putting the vision of *island connectivity* into practice poses many challenges and involves many stakeholders: Storage and compute capabilities must be available in a distributed manner, app developers must adapt their backend communication infrastructure to equip smartphone apps for island operation, and mobile network operators (MNOs) must prepare 6G to transition into island operation when a crisis-struck area is disconnected from the Internet. These efforts must be either justified by user demand or regulated by authorities. For instance, the resilience strategy of the German federal network agency requests that "citizens should be able to use a certain range of basic services even in the event of widespread [outages]" [12]. While they name emergency calls and cell broadcasts, they do not regulate how to prioritize apps when faced with limited capacity. Our third research question addresses this gap:

RQ3: How should operators prioritize smartphone services in isolated areas with local connectivity?

We construct a *smartphone service typology for island connectivity*, i.e., systematically classifying smartphone apps and cellular services according to their criticality for crisis response on islands. Our typology, discussed in detail in Section 6, distinguishes smartphone services that are crucial for crisis response, e.g., making emergency calls, receiving cell broadcasts, and using messengers, and those that enable crisis routines, e.g., finance apps, social media, and telephony. We compile our survey results and the typology into design implications that support stakeholders in making user-centric design decisions while realizing island-ready 6G communication.

2 Related Work and Research Gap

This section reviews related user studies and highlights research gaps in prior work that we address in our work.

2.1 App Usage During Crises

The first decade of crisis informatics research had a strong emphasis on social media, providing qualitative empirical case studies [83], identifying usage and role patterns [91, 104], designing algorithms for processing big crisis data [18, 54], and evaluating open source and social media analytics systems for enhanced situational awareness [3, 59, 60]. Many quantitative representative surveys examined citizens' usage patterns, perceived usefulness, and expectations towards social media in crises [93] and compared perceptions across European countries, North America, and China [94, 113].

However, considering the narrow focus of crisis informatics, researchers have suggested looking beyond social media [103]. While general-purpose apps and social media sometimes include functionality for community-oriented crisis response [109], multiple official so-called crisis and warning apps have been established across various countries of the Global North [47]. These often provide location-based warnings and tips on how to behave before, during, and after an emergency, and sometimes facilitate communication with emergency services [26]. Existing qualitative representative surveys with German citizens show increasing adoption of crisis apps, highlighting their perceived usefulness and the importance of different functionalities [45]. Researchers have examined the motivation and usability factors for using crisis apps [36, 108], including nudging approaches to enhance preparedness [46]. However, considering the findings of our narrative review [85], there is a lack of research examining the citizens' preferences for different apps for crisis-specific use cases. We contribute to this area by studying which apps citizens prefer to use for crisis-specific use cases and testing the demand for non-crisis apps during crises (RQ1).

2.2 Communication Networks During Crises

Existing studies on social media and crisis apps often lack attention to the underlying infrastructure requirements, such as energy and telecommunications, which are especially important in isolated areas. Not least, the 2021 Ahr Valley flooding showcased the sociotechnical complexity of warnings in a developed country like Germany. On the one hand, the acute warning period was too short; on the other hand, communication and electricity infrastructure failed during the floods and thus impaired further crisis communication and rescue operations [35]. Data from an online survey with citizens reveals that 35 % of the respondents from the federal state of North Rhine-Westphalia and 29 % from Rhineland-Palatinate did not receive any warning, highlighting the importance of effective administrative decision-making processes and resilient warning systems. Of those warned, 85 % did not expect severe flooding, and 46 % reported a lack of situational knowledge on protective behavior [111]. Another representative survey revealed that German citizens demand behavioral instructions (83 %), information on the reason for the failure (80 %), and the expected outage duration (78 %) from the respective infrastructure provider [58].

2.3 Related Notions of Island Connectivity

The idea of *islands* has a long history in networking and disaster research [17, 84]. Our interpretation of an island is that a region affected by a crisis and simultaneously disconnected from the outside Internet can maintain local Internet connectivity for users, e.g., to app servers hosted on the network edge, allowing users to continue using general-purpose apps on their smartphones. Section 3 elaborates on the conceptual model of island connectivity. In the following, we distinguish island connectivity from related notions.

A central problem of modern ICT for crisis communication is their dependence on centralized infrastructures [56]. Thus, it is essential to harden centralized infrastructures against natural hazards [67] and explore decentralized crisis communication. Related proposals exist to enhance the resilience of cellular networks, e.g., with self-organizing small cell networks [119] or network-in-a-box approaches [88]. These approaches are often limited to a specific part of the cellular network or require time to set up during a crisis. In contrast, island connectivity considers the entire 6G system, and we envision that island-ready 6G can seamlessly switch to island operation in case of a crisis. While related work studied decentralized and disruption-tolerant networks in smart rural areas [53, 68], the prevalence of Internet of Things (IoT) devices will be exceptionally high in smart cities, including uncrewed aerial vehicles (UAVs), smart cars, smart lanterns, and smartphones, for the establishment of multi-hop networks [49, 106]. Since applications and services will need to switch between different modes of centralized and decentralized operation, probably with varying functionalities available, HCI has to ensure a seamless user experience during these transitions [42]. Yet, we did not find any study of citizens' preferences regarding different app categories in isolated areas embracing the potential of island connectivity. To fill this gap, we investigate which apps users prefer to use in crisis-struck areas isolated from the Internet (RQ2).

2.4 Practical Aspects of Island Connectivity

Putting the vision of *island connectivity* into practice poses many challenges and involves many stakeholders. App developers must adapt their backend communication infrastructure to ready smartphone apps for island operation. MNOs must prepare 6G to transition into island operation when a crisis-struck area is disconnected from the Internet. These efforts must be either justified by user demand or regulated by authorities. To our knowledge, the user demand for islands is an unstudied research problem. Thus, the research community lacks an understanding of which app categories citizens prefer to use in isolated areas. Furthermore, authorities should regulate how MNOs prioritize smartphone apps when faced with limited capacity. However, no existing regulation guides MNOs in this endeavor [12]. We address this gap by constructing a smartphone service typology (RQ3).

In summary, **our study contributes to understanding citizens' smartphone usage in crisis-struck isolated areas**, motivating the demand for general-purpose apps for crisis-specific use cases (RQ1), reporting the demand for smartphone apps in isolated areas with local connectivity (RQ2), and suggesting prioritization




Figure 2: Internet Infrastructure in Germany. A beige line shows the German border, blue triangles highlight known physical interconnection facility locations, e.g., point of presences (PoPs), Internet exchange points (IXPs), or cable landing sites, and purple lines show the routes of submarine cables and the assumed terrestrial cable routes, following roadways, rails, and power lines [6, 31].

of smartphone services for these scenarios (RQ3). Section 3.4 complements our review of prior work by distinguishing our *island connectivity* model from related concepts.

3 The Conceptual Model of Island Connectivity

In this section, we introduce the conceptual model of *island connectivity*, which is our study’s specific application area.

3.1 Background: Internet Connectivity

The Internet is a network of networks that builds a physical and logical graph around the globe [14]. The physical Internet comprises infrastructure nodes, e.g., Internet exchange points (IXPs), colocation centers, and point of presences (PoPs), connected by fiber conduits, e.g., terrestrial long-haul and submarine cables [6]. The Internet Protocol (IP) suite defines abstraction layers to enable logical end-to-end connections while abstracting from the concrete physical connections in use, e.g., allowing end-to-end communication between hosts based on IP addresses [75].

When users open a smartphone app that requires Internet connectivity to connect to an app server, the app usually stores the server’s domain name or IP address. The smartphone first connects to a 4G/5G base station to establish a connection to the app server, from where the user data is augmented with control plane data and sent to the MNO’s core network [1]. If the core network successfully processes the control plane data, e.g., handling authentication and session management, the user data proceeds to the Internet. Alternatively, smartphones can connect to the Internet via a Wi-Fi router. On the Internet, the user data is routed toward the app server’s IP address until it reaches its destination.

Current cellular networks have a mostly central architecture with limited core network gateways per country, which can cause path

inflation [118], i.e., a diversion from the shortest route due to the requirement of passing the core network. Path inflation is especially pronounced if the app server is hosted on the local network edge close to the user but the closest core network gateway is remote. The physical Internet backbone in Germany is considered critical infrastructure and, therefore, is not publicly available [13]. However, Figure 2 visualizes how the Internet Geographic Database (iGDB) [6] interpolates connections between known Internet infrastructure, assuming that cables are often installed along existing networks such as roadways, rail, and power lines [31].

3.2 Islands: Crisis-Struck Areas Isolated From the Internet

The communication infrastructure is generally expected to be resilient against outages. Still, cellular network outages are actively considered in the resilience strategy of the German federal network agency [12], and previous outages have isolated individual areas [74]. Another complication is that user traffic has to traverse the core network before being forwarded to the Internet, but the chances of a cellular core network being available in the affected area are negligible due to the low geo-redundancy of cellular core network gateways [118]. These gateway locations of the German MNOs, i.e., *1&1 AG*, *Deutsche Telekom AG*, *Telefónica Deutschland Holding AG*, *Vodafone GmbH*, are unknown. Still, observations from other countries [98] suggest only a handful of gateways per MNO exist in Germany. As a result, users in affected areas likely cannot use 4G/5G connectivity to reach these servers despite the locally intact physical Internet and servers being available on the local network edge. We aggregate the notion of a crisis-struck area that is isolated from the outside Internet in the definition of *islands*:

An **island** is a crisis-struck area isolated from the outside Internet, preventing citizens from using smartphone apps that require an Internet connection to remote servers.

Several terms exist in the literature to describe deviations from regular operation. This paper uses the term *crisis* as a hypernym for crises, emergencies, catastrophes, and disasters [32]. Islands can be of various shapes and sizes, ranging from small rural areas to major cities. One example is the 2021 flooding in Western Europe, where the floods destroyed fiber links installed under roads and bridges and, thus, disconnected large parts of the Ahr Valley from the Internet for days to weeks [74]. While satellite connectivity has successfully been used in crisis-struck areas to provide citizens with Internet access, the achievable bandwidth with a few satellite links is insufficient to reconnect an entire region to the Internet [78]. Another common approach is microwave transmissions, closing the gap of broken fiber links with point-to-point directional antennas [27]. However, their applicability depends on the type of failure responsible for the isolation, and setting up directional antennas can take several days.

3.3 Island Connectivity: Local Fall-Back Cellular Networks

With multi-access edge computing, operators increasingly aim to move content and computational power closer to the user by hosting servers on the network edge, e.g., co-located with IXPs or in a data center within the user's proximity [8]. These advances reduce latency as Internet traffic destined within the user's proximity instead of being routed to a remote data center. Still, they do not fully apply to cellular network users due to *path inflation* [62, 118, 120]. With 6G on the horizon, there are proposals [19, 21, 72, 82] to tackle the bottleneck of path inflation by distributing core network functions, e.g., co-located at suitable Internet nodes or generally within the data centers of major cities.

A higher geo-redundancy of core network gateways would improve latencies and the chances of *islands* having a core network available. As a result, island users could use crisis-relevant cellular services, i.e., making emergency calls, receiving cell broadcasts, and contacting close ones on the island by text or phone call. In addition, a core network on the island facilitates cellular Internet connectivity, thus enabling users to use smartphone apps for crisis response. In this context, app servers must be deployed within the island's boundaries, aligning with the multi-access edge computing trend. To this end, we distinguish *local* and *remote* connections, the former staying within the island's bounds, while the latter destined at a server outside the island. We distinguish two operation modes of the cellular network: *normal operation* in non-crisis times and *island operation*, providing island connectivity on islands.

Island connectivity enables users on an island to use the cellular network within the island's bounds, facilitating the use of cellular services (e.g., emergency calls and cell broadcasts) within the island and access to servers on the islands's network edge (e.g., multi-access edge computing).

With island connectivity, users can access the cellular network within that island's boundaries, i.e., they can use apps with app servers hosted on the local edge but not apps with remote app servers; they can communicate with friends on the island but not with friends outside the island. One requirement of island connectivity is an intact power supply, another critical infrastructure that can fail during natural disasters or be affected by dedicated cyber attacks. The German federal network agency reports that many MNOs already have emergency and backup power systems. Still, these are often severely limited, providing only a few hours of electricity. For the future, it recommends considering renewable energies as on-site backups and for end users to have a mobile power supply in stock to recharge mobile devices in crisis scenarios [12]. Implementing the recommendations from these guidelines ensures that island users can use island connectivity when available [1].

The realization of island connectivity poses various challenges to operators, developers, and authorities. To our knowledge, the HCI community has not studied the user-smartphone interaction in the specific application area of islands with local cellular connectivity. This paper aims to understand citizens' smartphone usage on islands and derive design criteria for apps and 6G to facilitate user-centric design decisions while realizing island connectivity.

3.4 Distinction from Related Technical Concepts

The design principles underlying the Internet are simple and mostly unchanged since its inception [75], as the principles of routing, reliability, and resolution allowed the Internet to grow from a few computers to today's global scale. Originally, the Internet was island-ready due to the mostly static configurations and its decentralization, but over time, lost its island capabilities since essential functions, e.g., domain name resolution, were centralized. Some technical concepts propose to re-integrate decentralized capabilities into the Internet, e.g., peer-to-peer systems as application layer overlays [96], content delivery networks (CDNs) [86], the decentralized web [90], and campus networks [97]. Out of these concepts, only campus networks are related to the cellular network. Campus networks are private wireless communication networks connecting the users of an organization in a dedicated geographical area, e.g., a university or an industrial site [22]. The main objective of 5G campus networks is to use the advantages of cellular connectivity, i.e., higher speed and lower latency. Campus networks are designed for static settings, i.e., the operator registered the campus network with the authorities and got permission to operate the campus network in a specified frequency band in a specified geographic area. In addition, only a pre-defined set of SIM cards can connect to the campus network. As such, the concept of campus networks is clearly distinct from island connectivity by two factors: First, island connectivity applies to the *public* cellular network and should be usable for all users. Second, island-ready 6G communication can *dynamically* switch from normal operation to island operation when a core network replica detects a disconnection from the outside Internet. Nevertheless, non-public networks can benefit from the advances of island connectivity, e.g., when multiple campus networks hosted at different sites that are usually connected through the Internet become isolated due to outages.

3.5 Relevance of Island Scenarios

The limited period of island scenarios, infrastructure requirements, and recent proposals for alternative technologies to recover connectivity provoke the question of how relevant island connectivity is for the research community. First, information and communication technology (ICT) is a critical infrastructure [9, 24, 25], underscoring the crucial value of connectivity for crisis response. In particular, the cellular network plays a pivotal role in crisis response, providing Internet connectivity, emergency calls, and cell broadcasts.

We argue that **island connectivity can have a critical impact during the first few days of a crisis or even across multiple months in the case of a large-scale conflict**, such as in the ongoing Russo-Ukrainian War, where critical infrastructures are operational targets by cyber or physical attacks [102, 117]. Past crises underscore the scenario's plausibility and that alternative recovery means do not suffice to reconnect entire areas. Understanding how citizens prefer to use their smartphones on islands is crucial to supporting the ongoing development of 6G. Operators, developers, and authorities face many challenges in implementing this vision, and contributions from the HCI community can help facilitate user-centric design decisions.

4 Method

Six researchers and one designer were involved in the design phase of this study, cooperating in multiple workshops to combine knowledge from the fields of resilient cellular networks, HCI, and CSCW.

4.1 Material

Our goal was to study the user-smartphone interaction in island connectivity. We realized early in the design phase of our study that the novelty and complexity of island connectivity as a conceptual model might be hard to grasp. To avoid overloading participants, we decided to fix a concrete example for islands in our study. Thus, **our survey investigates smartphone usage in major German cities**, simplifying the abstract concept of island connectivity to the concrete instantiation of local connectivity in an isolated urban area. We motivate this choice by the increasing share of the worldwide population living in urban areas, as 71 % of the German population lived in metropolitan areas in 2022 [29]. In addition, cities play a central role in the Internet, and most of the physical Internet infrastructure aligns around cities [6]. As such, cities are prime candidates to host replicas of the distributed 6G core network, which aligns with the concept of resilient cities [51, 61, 121].

4.2 Questionnaire Design


Section A holds a full translated transcript of the questionnaire. It comprises five parts that incrementally familiarize participants with our study scenario.

Part 1: Consent and Screening. We informed participants about the procedure and goals of the study before they gave their informed consent to participate in our study. We collected age, gender, education, income, and federal state (Q1-Q5) to steer recruitment towards representativity. To recruit citizens with prior smartphone experience, we screened whether the participants had lived in a major German city for at least one year and owned a smartphone during that time (Q6). For eligible participants, we collected the city name and the time the participants lived there (Q7-Q8). Participants confirmed they had owned and used a smartphone during that time (Q9). We implemented the city name into the subsequent questions to tailor the questionnaire to the participant, e.g., for participants who had lived in Berlin, the caption of the comic depicted in Figure 1a said: "You are taking a walk in *Berlin*."


Part 2: Everyday Smartphone Usage. We asked the participants to estimate their daily smartphone screen time in hours (Q10), guiding them to find the corresponding Android and Apple iOS statistics. We studied everyday smartphone usage with positional voting [99], where participants chose a subset of 23 categories and positioned the chosen app categories by their daily usage frequency (Q11). There is no generally accepted smartphone app categorization in the literature, so we based our categorization on the Apple App Store [7]. We refined it to fit the survey's scope by splitting the *Social Networking* category into *Social Media* and *Messengers*, combining *Photo and Video* and *Graphics and Design* into *Creativity*, introducing categories for *Crisis* and *Web Browsers*, and omitting *Business apps*, *Developer Tools*, *Kids*, *Lifestyle*, and *Safari Extensions*.



(a) On your way home, you want to let your friends know that you are okay. As you have no signal, you cannot send the message.




(b) Even sending via Wi-Fi from a nearby restaurant does not work.



(c) A siren sounds again with a loudspeaker announcement: "Attention! The city has been disconnected from the Internet. Therefore, communication is currently not possible."



(d) The mobile network operator was able to partially restore the network, so communication within the city is possible again, but not to the outside.



(e) At home, you want to use the restored connectivity to inform your friends within the city that you are okay.

Figure 3: Local Connectivity Model. This comic board introduced our participants to the conceptual model of local connectivity in isolated cities. The message in Figure 3a translates to "I'm fine!". The text in Figure 3d translates to "A few hours later."

Part 3: Crisis Smartphone Usage. We used a comic board (Figure 1) to introduce the assumed crisis scenario, an earthquake in the participant's hometown. We asked the participants to hypothetically answer the remaining survey with this crisis scenario in mind. Comicboarding [80] is a technique to break down complex information when co-designing with children. We chose comic boards to explain the study scenario to our non-expert study sample, anticipating the complexity of the local connectivity model in isolated cities. To study **RQ1**, we chose seven crisis-specific use cases (Q12) and asked which apps participants would use to handle them: Receiving warnings (U1), getting safety tips (U2), contacting emergency services (U3), looking up information (U4), communicating to others (U5), navigating in the city (U6), and distracting themselves (U7). We chose these use cases because they were well-established in related work: [45, 93, 95] study U1 - U5, [101, 115] study U6, and [101] studies U7. Each participant was assigned three of the seven use cases at random to reduce their effort, resulting in 348 to 388 answers per use case (median 364; IQR 19.5).

Part 4: Crisis Smartphone Usage with Island Connectivity. We showed a second comic board (Figure 3) to introduce island connectivity into the study scenario: Internet connectivity is recovered but limited to the participant's city, i.e., communication is only possible within the city, and content is available if hosted on local servers within the city but not from remote servers hosted outside the city. We showed a video (38 s) to clarify the scope and limits of island connectivity. We provided an alternative video description for participants unable to watch videos or encountering technical problems. We asked participants to answer the remaining questionnaire hypothetically, assuming the crisis was ongoing for several days with local connectivity. For **RQ2**, we repeated the positional voting category for smartphone usage in isolated cities (Q13).

Part 5: Control Variables and Data Quality. We collected the following control variables (Q14-Q17): Prior experience with crises, prior experience with cellular/landline Internet outages, prior activity in relevant emergency forces, e.g., as a firefighter, police officer, or first responder, and the affinity for technology interaction (ATI) scale [37] with an implemented instructed response item (IRI) [77]. Finally, participants could indicate technical issues and additional comments in open statements (Q18-Q19). The survey ended with a self-reported single item (SRSI) UseMe [15] (Q20), informing the participants that the survey was an integral part of our research and asking them if we should consider their responses for our studies.

After evaluating the results of our survey, we augmented the findings of **RQ1** and **RQ2** with applicable technology standards [1] and resilience strategies [12] to construct a smartphone service typology for island connectivity (**RQ3**).

4.3 Data Analysis

We used the statistical software R 4.4.1 [89] and an alpha level of 0.05 for the quantitative data analysis. We corrected for multiple tests with the Bonferroni method [2] to evaluate significant associations. We used the well-known Borda count [76] to analyze our participants' positional voting results. We used inductive coding for the open statements (Q18 - Q19) and all "Other" responses. Two researchers independently constructed initial codebooks and

merged them through discussions. Two researchers deductively coded all questions according to that codebook, reaching satisfactory inter-coder reliability (mean Krippendorff's Alpha = 0.9985, minimum 0.997) [65]. We solved the remaining coding differences through discussions. We generally report absolute and relative numbers to classify our results. We report median values and the inter-quartile range (IQR) as these statistics are more robust against outliers. We report the effect sizes for tests to find significant and relevant associations. Upon acceptance of this paper, **we will release a replication package that contains the survey dataset, our evaluation scripts, and the coding system** for readers to verify, reproduce, and replicate our findings.

4.4 Recruitment and Study Sample

We chose GapFish to handle recruitment because they are an ISO-certified panel provider cooperating with more than 500 000 panelists from Germany, Austria, and Switzerland [40]. In coordination with GapFish, we aimed to recruit a representative sample of smartphone users in major German cities based on age, gender, education, and income. To avoid effort for unfitting participants, GapFish invited panelists over 18 who owned a smartphone and lived in a German city with more than 100 000 citizens. We collected demographic information early in the survey (Q1-Q5) to avoid effort for participants who did not fit the quotas. Of the 2187 participants who started the survey, 986 participants completed the questionnaire. After removing participants who failed SRSI UseMe ($n = 64$), failed the IRI ($n = 58$), stated invalid education ($n = 4$), stated an invalid major city ($n = 2$), or commented hate speech ($n = 1$), we report $N = 857$ participants. Table 4 describes our study sample regarding demographic and control variables. The depicted categories simplify the identification of semantic groups, e.g., younger participants or participants with medium technology affinity.

Representativity. We recruited a study sample representing smartphone users from major German cities with the following limitations: Our study sample does not include participants under 18 or over 69 and has a smaller share of participants with low or high education compared to the German population. GapFish only distinguished male and female panelists in their database, so we could only steer gender representativity regarding men and women. Still, four participants openly identified as non-binary. All participants were panelists who had lived in a major German city for at least one year and had owned a smartphone during that time. We acknowledge these deficits and argue that **our study sample is representative of adult smartphone users in major German cities** considering the above limitations.

Significant associations. We found significant associations between our demographic and control variables using Pearson's chi-squared test [87] after correcting for multiple tests with the Bonferroni method [2]. Income and education showed a significant association ($\chi^2(6) = 136.94, p < 0.001, V = 0.28$) as did age and screen time ($\chi^2(4) = 98.2, p < 0.001, V = 0.239$). These associations represent medium effect sizes, according to Cohen [20]. We found further significant associations with small effect sizes between age and education ($\chi^2(4) = 33, p < 0.001, V = 0.139$), citizen duration and age ($\chi^2(4) = 67.6, p < 0.001, V = 0.119$), citizen duration and

screen time ($\chi^2(4) = 27, p < 0.001, V = 0.126$), and gender and technology affinity ($\chi^2(4) = 19.7, p < 0.001, V = 0.107$).

4.5 Biases and Limitations

Naturally, every study has limitations due to the decisions made in the design process. In the following, we motivate selected design decisions and discuss which biases and limitations they might cause.

Study sample. We hired an ISO-certified panel provider to recruit and compensate suitable participants. While recruiting only panelists to complete our questionnaire might introduce a bias against non-panelists, it facilitated steering our study sample towards representativeness for smartphone users from major German cities regarding gender, age, education, and income, thus preventing sampling and selection biases [11, 48]. Only participants who had lived in a major German city for at least one year and had used a smartphone during that time could complete our questionnaire. This screening might introduce a survivorship bias [34] against Germans who have not lived in a major German city for at least one year and German citizens who have not owned a smartphone during that time. We opted to screen out these groups to align the sample with our study subject, smartphone usage in isolated cities.

Questionnaire design. We ordered the questionnaire to incrementally familiarize participants with our study subjects to avoid question order bias [100]. Considering the risks of survey time fatigue [70], we determined the dependent variables Q11 - Q13 as early as possible, showed each participant only three random of the seven use cases in Q11, and included two comic boards [80] and a video before Q13. On average, it took participants 12 min 38 s (median 10 min 26 s; IQR 6 min 11 s) to complete our survey. We recorded many outliers, with the fastest completion taking 2 min 24 s and the slowest completion 10 h 43 min 20 s. Following the suggestions of [41], we did not remove speeding participants. We implemented a combination of single-choice and multiple-choice selections, number inputs, positional voting, yes/no questions, Likert scales, and open statements to mitigate extreme or neutral response biases and an acquiescence bias [81]. Only Q15 used an unbalanced scale, but for this question and, generally, where possible, we provided "No answer" or "Other" options to mitigate a conformity bias [66]. We used neutral, non-leading questions and explanations to avoid anchoring biases [112]. Interviewing the general public about a complex research scenario can introduce a cultural bias [50], so we used comic boards [80] to convey complex information, an explanatory video, and feedback from the pilot study (Section 4.6). We hosted the questionnaire with *LimeSurvey* [73] to ensure accessibility on various end devices and provided alternative descriptions for the video and comic boards to mitigate technical biases [30].

Data quality. We opted for an online survey to gather knowledge from a broad study sample and focus on quantitative results. Ensuring data quality in online surveys can be challenging because participants might be inattentive while filling in the survey, not understand the study subject, or face technical issues. We anticipated these challenges during in our study design by equipping the questionnaire with an SRSI UseMe and an IRI, which led to the removal of 122 inattentive participants. In addition, we implemented comic boarding and an accessible explanatory video with a transcript and

description. While one participant (P162) acknowledged that the study subject "was visionary and hard to empathize with," other participants described the questionnaire as "easy to follow" ($n = 5$), positively mentioning the structure, video, and comics ($n = 5$). At the end of the survey, we asked participants if they had faced technical issues. 98.95 % did not describe technical problems, and five participants (0.58 %) had issues sorting the app categories in Q11 and Q13. Four participants (0.47 %) had technical issues with the video, one of which (P402) mentioned that it was "great there was a description below the video." One participant (P60) proposed expanding Q16 with options for prior and retired emergency forces and hospital staff, which we suggest for future surveys.

4.6 Ethical Considerations

We tested our survey in a pilot study with $N = 29$ participants. Their valuable feedback led to several improvements, including a shorter survey length, more precise questions, and clarifications.

We adhered to local ethical and legal standards while designing, conducting, and evaluating this study. Our university's institutional review board reviewed and approved this study. GapFish compensated the panelists for their participation in our survey. As stated in the survey, we did not report participants who failed the IRI or self-reported with the SRSI UseMe to GapFish. Despite GapFish recruiting only adult panelists, two participants reported an age under 18 and were excluded before completing the questionnaire. We collected demographic information in clusters to protect participants' privacy. We informed all participants about the survey's purpose and data collection while adhering to the General Data Protection Regulation. We warned participants that the survey's subject included crises, which might be a sensible topic for them. Participants agreed to consent before starting the survey, and they could abort their participation at any time without explanations.

5 Results

This section reports our survey results, addressing each research question individually. We supplement our findings with quotes from the open statements to highlight interesting aspects.

5.1 App Demand for Crisis-Specific Use Cases

Our first goal is to understand which apps citizens intuitively prefer to use for crisis-specific use cases (RQ1). Notably, the list of use cases covered by our study is not exhaustive, and other use cases might yield different results. We decided to include U1 - U7 because related work [45, 93, 95, 101, 115] studied similar use cases but not with a focus on citizens of major German cities.

Immediately after introducing the crisis scenario with the comic board depicted in Figure 1, we showed each participant three of the seven use cases. We asked them which apps they would use in these scenarios. Table 1 visualizes the results with a row per use case (U1 - U7). On average, participants selected 2.03 app categories per use case (median 1.67; IQR 1.67). The most often selected app category across the $857 \cdot 3 = 2571$ votes was *crisis apps*, selected 1066 times and scoring highest for receiving warnings (U1) and getting safety tips (U2). For the remaining use cases, participants preferred other apps over crisis apps: *News apps* for looking up information

Table 1: App Demand for Crisis-Specific Use Cases (RQ1). This heat map depicts the seven use cases (U1 - U7) and the ten most selected app categories. For each use case, it shows the percentages for the top three app categories, where bold text highlights the most preferred app category. The bottom row M_c shows the mean frequency of how often a category c was mentioned across all use cases. The rightmost column M_u shows the mean number of categories selected for use case u .

Use case \ Category ¹	N_u	Crisis	Messengers	News	Social Media	Web Browsers	Navigation	Weather	Reference	Music	Entertainment	M_u	None
Warnings (U1)	380	65 %	27 %	42 %								2.12	5 %
Safety tips (U2)	356	61 %		39 %		27 %						2.28	5 %
Emergency call (U3)	375	48 %	37 %			13 %						1.56	16 %
Information (U4)	348	53 %	32 %	60 %								2.42	2 %
Communication (U5)	364	22 %	72 %		35 %							1.88	6 %
Navigation (U6)	388	20 %	14 %				66 %					1.64	3 %
Distraction (U7)	360		37 %		27 %					27 %		2.42	9 %
M_c	367.29	41 %	35 %	29 %	19 %	15 %	14 %	9 %	7 %	4 %	3 %		

¹ The following app categories did not make the top 10 regarding M_c and were omitted in the heat map for better readability (in descending order according to M_c): Utilities, Games, Education, Books, Health & Fitness, Medical, Travel, Finance, Food & Drink, Creativity, Productivity, Shopping, Sports.

(U4), *messengers* for communication (U5) and distraction (U7), and *navigation apps* for navigating in the city (U6). While crisis apps scored highest for contacting emergency services (U3), many participants preferred emergency calls for this use case, selecting "No app" or using the "Other" option to describe telephony (16%). Overall, this highlights that it takes more than crisis apps to serve all crisis-specific use cases and that users prefer using general-purpose apps in crisis scenarios.

5.2 App Demand on Islands

For **RQ2**, we focus on two app types: Apps that our study sample ranked high in island operation and apps with strong trends from island operation to normal operation. Our questionnaire featured two positional voting questions to learn about the participants' app demands in normal operation (Q11) and island operation (Q13). In this context, *normal operation* refers to a non-crisis scenario with global Internet connectivity, and *island operation* refers to the scenario where only island connectivity within the island is feasible. Notably, many methods exist to compute ranks from positional votes. We used the Borda count [76], a widely recognized and straightforward method, as it generally produces a broadly acceptable consensus based on individual rankings. Since using a different method could yield different results, we also publish our raw data to enable other researchers to apply alternative methods. Table 2 compares the positional voting results of all apps in normal and island operation, and Figure 4 takes a closer look at the vote distribution for apps with strong trends.

Apps with Unchanged Demand In Island Operation. Ten apps scored in the same rank for normal operation (Table 2) and island operation (Table 2) or with a difference of one rank. Table 2 does not show arrows for these apps for better readability. *Messengers* scored highest in both operation modes. Most participants ranked

messengers near Rank 1 in Q11 and Q13, resulting in a density peak at the lower left corner of Figure 4a. From RQ1, we understand that citizens prefer messengers to communicate with other people for communication and distraction. However, island connectivity limits communication to people in the city. For example, P457 commented, "As I do not have any friends or acquaintances in Düsseldorf, [...] I would not want to communicate with anyone within the city in that scenario." We found similar unchanged but low demands for *creativity* apps, causing the density peak in the upper right corner of Figure 4b. Most participants who voted for creativity apps in Rank 23 in Q11 voted for them in Rank 22 in Q13. Apps related to weather, navigation, entertainment, music, utilities, reference, games, and health & Fitness showed a similarly unchanged demand.

Apps with Increased Demand in Island Operation. Five apps scored higher for island operation than normal operation. As a crisis-specific medium, *crisis apps* climbed 18 ranks from normal operation to island operation. This is reflected in Figure 4c, where a density peak in the bottom-right corner indicates that crisis apps were voted near Rank 1 in island operation but near Rank 23 in normal operation. However, the second peak in the top-right corner indicates a share of our study sample with low demand for crisis apps regardless of the operation mode. We observe a trend of participants moving from Ranks 6 - 10 in normal operation to Ranks 1 - 5 in island operation, visible as a white area in Figure 4c. This trend suggests that participants who occasionally use crisis apps in their daily lives use them more frequently on islands, which aligns with our findings regarding **RQ1** reporting high demands for crisis apps to receive warnings and safety tips, contact emergency services, and seek information. We found weak positive demand changes for apps related to news, food & drink, books, and medical.




Figure 4: Positional Voting Distribution for Apps with Strong Trends. Each figure compares the vote distribution of the app demand in normal operation (Q11) and island operation (Q13) in a bivariate kernel density estimation (KDE) plot [110]. The annotated density peaks underscore strong trends identified in Table 2. For instance, the soaring demand for crisis apps in island operation compared to normal operation (Figure 4c) causes a density peak in the lower-right corner, as participants voted for crisis apps near Rank 23 (low demand) in Q11 and near Rank 1 (high demand) in Q13. Participants who prefer not to use crisis apps in normal nor island operation account for the smaller density peak in the upper-right corner.

Table 2: App Demand on Islands (RQ2). This table compares how apps ranked in normal operation (Table 2) and island operation (Table 2). Dotted arrows indicate trends of two ranks or more, and bold blue arrows highlight strong trends.

(a) Q11: Normal Operation	(b) Q13: Island Operation
App Category	App Category
1 Messengers	1 Messengers
2 Social Media	2 News
3 Web Browsers	3 Crisis
4 Weather	4 Social Media
5 News	5 Weather
6 Shopping	6 Web Browsers
7 Navigation	7 Navigation
8 Entertainment	8 Entertainment
9 Music	9 Music
10 Finance	10 Utilities
11 Utilities	11 Reference
12 Reference	12 Finance
13 Productivity	13 Food & Drink
14 Games	14 Games
15 Food & Drink	15 Productivity
16 Travel	16 Books
17 Health & Fitness	17 Health & Fitness
18 Education	18 Medical
19 Books	19 Shopping
20 Sports	20 Education
21 Crisis	21 Travel
22 Medical	22 Creativity
23 Creativity	23 Sports

Apps with Decreased Demand in Island Operation. Eight apps scored lower for island operation than normal operation. The demand for *shopping apps* plummeted the most, described by the density peak in the upper-left corner of Figure 4d. Most participants who voted for shopping apps in the top-10 ranks in Q11 moved to the lowest ranks in Q13. Similarly, shopping apps show a secondary peak as some participants showed no demand for shopping apps at all. Social media, web browsers, finance, productivity, education, travel, and sports apps showed a similar demand decrease.

Apps with High Demand in Island Operation. Three apps complement the top-5 ranks for island operation besides the aforementioned messengers and crisis apps. *News apps* climbed from Rank 5 in Q11 to Rank 2 in Q13. From **RQ1**, we understand that our participants prefer news apps for looking up crisis-relevant information as well as receiving warnings and safety tips. The increased demand in island operation underscores the importance of news apps for islands. *Social media* descends from Rank 2 in normal operation to Rank 4 in island operation, as the use of social media is limited to the island in island connectivity. The results of **RQ1** show that participants primarily prefer social media for communication and distraction. We find different demands for messengers and social media among our study sample, which confirms our design decision to split Apple’s *Social Networking* app category into *Social Media* and *Messengers*, as the demands of these app categories seem to differ on islands. *Weather apps* can play a crucial role in crisis-struck isolated areas, especially considering natural disasters.

5.3 Smartphone Services Typology for Island Connectivity

Our contribution to **RQ3** is a smartphone service typology for island connectivity. In this context, *smartphone services* generalize the functionality provided by smartphone apps and services of the cellular network. We construct this typology by combining




Figure 5: Smartphone Service Typology for Island Connectivity (RQ3). This prioritization organizes smartphone services in tiers based on their criticality for islands. Tier 0 contains vital services for islands, Tiers 1 - 2 focus on immediate crisis response, and Tiers 3 - 4 focus on crisis routine.

the fieldwork-informed knowledge from our survey with practice-informed design knowledge from authorities [12, 16] and applicable technology standards [1]. Figure 5 visualizes how the typology classifies smartphone services into five tiers, prioritizing how critical the included services' availability is on islands. The typology is based on our findings for research questions RQ1 and RQ2, which we augment with demographic tendencies observable in our study sample. Figure 6 depicts a selection of tendencies and Table 3 shows the median ranks of all categories by semantic groups. While Tiers 0 and 1 focus on the immediate crisis response, distinguishing paramount smartphone services and crucial apps, Tiers 2 and 3 consider cities in crisis routine, identifying required enablers and apps for day-to-day crisis life. Tier 4 is about citizens' well-being during crises, discussing the potential of nice-to-have apps during crisis recovery. In the following, we discuss each tier individually:

Tier 0: Crisis-Critical Cellular Services. Making *emergency calls* and receiving *cell broadcasts* are central pillars of the German federal network agency's resilience strategy [12]. European and federal laws regulate the availability of emergency calls and cell broadcasts, e.g., users can make emergency calls without money on their account and use another MNO's network [79], highlighting its crucial importance for crisis response. The results of our survey support this assessment, as despite not having asked about it explicitly, 16 % of the participants reported they would not use smartphone apps but telephony to make an emergency call. The services of Tier 0 should be the absolute minimum that every MNO maintains on islands.

Tier 1: Services for Immediate Crisis Response. We found that *messengers* are the most demanded app category on islands, covering crisis-specific communication and distraction use cases. Communicating with close ones affected by the crisis can alleviate

stress and avoid extensive movement through the crisis-struck area [4, 107]. Messengers show similar rank distributions for all considered variables (Table 3). All semantic groups in our study sample showed similarly high demand for messengers (median Rank 2), e.g., see Figure 6 to compare rank distributions of groups based on age and education. Our participants preferred *news apps* to look up information. While providing access to global or generally external newspapers is hard, if not infeasible, at least local newspapers should be available on islands. As the name suggests, *crisis apps* are dedicated to crisis scenarios, including islands. While we classify cell broadcast as a Tier 0 service, which is paramount to broadcasting urgent information to all citizens, crisis apps can provide more detailed warnings and additional information about the crisis [47]. Similarly to messengers, the rank distribution of news and crisis apps shows minimal variance between semantic groups with medians around Rank 3. *Navigation apps* can help citizens navigate isolated areas depending on the crisis. Local map data can be hosted on the island, and local crisis scenarios usually do not affect GPS satellites. Furthermore, should GPS be unavailable, e.g., due to a targeted cyber attack, the radio-based positioning of 6G can be utilized [10]. These apps become especially useful when augmented with crisis-relevant details, e.g., available and blocked roads, water sources, or places with Wi-Fi connectivity [42]. *Medical apps* can be vital for patients relying on dedicated apps, e.g., monitoring insulin for diabetes patients. Maintaining the availability of medical apps can prevent crisis-unrelated emergencies of patients, avoiding additional stress on first responders [52]. We observed several tendencies regarding medical apps in our study sample: Participants with a short or medium residence time (median Rank 8) and younger participants (median Rank 9) showed lower demands for medical apps compared to participants with long residence times (−6 ranks), and older participants (−4 ranks), respectively. *Reference apps* can provide crisis-relevant information for citizens, e.g., how to filter water or prepare food without electricity [69].

Tier 2: Services with Critical Purpose. *Finance apps* give citizens access to their finances, which is a critical infrastructure in many countries [114]. Our study does not find an increased demand for finance apps on islands. Still, payment apps and, ultimately, the critical infrastructure of finances must be available on islands to enable an organized day-to-day crisis life, which poses substantial challenges as we elaborate in Section 6.2. We observe higher demand for finance apps in high-income and medium-income participants (median Rank 7, both) than low-income participants (−4 ranks). *Telephony* enables citizens to make phone calls within islands and is another enabler of crisis routines [101].

Tier 3: Services for Crisis Routine. Our survey shows a high demand for *social media* and *weather apps* on islands. Since the terrorist attacks of 9/11, the HCI and CSCW communities have observed an increasing use of social media in crises [92]. Related studies investigated use cases for social media during crisis response, e.g., to organize community efforts [104] or to use media from crisis-struck regions as input for situational awareness [116]. As such, individual use cases for social media during crisis response

exist even though social media's primary purpose is in crisis routine. *Weather apps* have become an integral part of our everyday lives, not necessarily opening the weather app itself but reading snippets of weather information on lock screens, info panels, or menu bars. *Food & drink* and *shopping apps* might not seem as crucial for crisis routines as other apps. However, food supply is a critical infrastructure in Germany, and shopping apps can mean shops offering crisis-relevant equipment.

Tier 4: Services for Crisis Well-Being. *Music apps* play a central role for citizens seeking distraction from the crisis [122]. In our sample, younger adults had a higher demand for music apps during crises (median Rank 5) than middle-aged adults (−2 ranks) and older adults (−7 ranks). *Entertainment apps* for TV shows or movies, *books* for reading, and *games* for gaming are further sources of distraction [43]. While our survey found little demand for *creativity apps* and *education apps* on islands, their availability can benefit crisis routine. Among our study sample, we observe high demand for education apps among younger participants and participants with low technology affinity (median Rank 4, both) compared to older participants (−5.5 ranks) and participants with high technology affinity (−4 ranks), respectively. Further, we observed a tendency linking lower demand for education apps with lower education (Table 3).

Limitations of this Classification. The above typology omits some apps for different reasons. *Web browsers* stand out from all other apps from a technical perspective, considering that web browsers give users access to the World Wide Web with a virtually infinite number of servers [75]. Notably, our system model does not distinguish app-based and web-based Internet traffic. Island operation assumes that app servers on the network edge are available for users even when an island is disconnected from the outside Internet. The same holds for web servers, i.e., web pages with a web server hosted on the island will be available while web pages hosted on remote web servers will not. Website operators can change their backend communication infrastructure similar to app operators, enabling the use of their websites on islands. Therefore, the availability of apps and websites is somewhat equivalent on islands, making web browsers orthogonal to our classification. However, considering the enormous number of websites and the limited capacity of edge servers, island-ready websites will be feasible only for a few website operators and most interesting to local content providers such as local newspapers or communities. *Productivity apps* and *utilities* usually work offline and would be available to island users if downloaded before the crisis. The applicability of *travel* and *sports apps* with island connectivity is limited as no information from the outside Internet is available.

5.4 Qualitative Findings

App Prioritization. Three participants commented that not all app categories are equally important in crisis scenarios. One participant (P136) commented, "Several considered apps will never have a practical use nor will they be used during a crisis." Similarly, P902 found the available app categories "too many and in parts

absurd," asking, "Why should I read a book or listen to music during an earthquake?". This statement contrasts our observed need for distraction during crises, as 27 % preferred *music apps* for distraction (RQ1). In addition, *music* stayed on Rank 14 while *books* gained three ranks from normal to island operation (RQ2). P475 demanded that "priorities should be set, since, e.g., games and apps for ordering food should be considered low-priority/useless," which indicates demand for the smartphone service typology we propose for island connectivity (RQ3).

Non-App Technologies. Thirteen participants (1.52 %) used the "Other" option of Q12 to indicate they preferred telephony over apps for the use cases of emergency calls ($n = 7$), information ($n = 1$), communication ($n = 4$), and distraction ($n = 1$). This is complemented by the comments of four participants who "only use [their] smartphone for phone calls, SMSes, and utilities" (P148). Similarly, two participants criticize the overreliance on apps and smartphones, commenting that "one should never solely depend on smartphones" (P121) and regretting the shift away from traditional landline phones that were equipped to function during power outages (P742). These comments suggest prioritizing *telephony* higher than Tier 2 in the smartphone service typology (RQ3), potentially as a vital Tier 0 service. However, the small share of participants preferring telephony over general-purpose apps and the large share preferring general-purpose apps during crisis response motivate us to prioritize Tier 1 apps over telephony services.

Scenario Realism. Three participants commented that the earthquake scenario is implausible in Germany, to which one participant (P384) added that "flooding would be a better-suited example." This indicates that geographic factors should be considered when prioritizing apps for crisis scenarios. Six participants found the described island operation doubtful; e.g., one participant (P69) stated, "The described scenario is wrong because the Internet does not work locally." These comments suggest that some participants were inattentive while reading the survey or did not understand the study subject, as the main idea of island connectivity is maintaining local Internet connectivity, which the questionnaire explains elaborately.

6 Discussion

This section positions our findings relative to prior work and discusses the practical implications for operators, developers, and authorities towards island-ready 6G communication.

6.1 Contextualizing Our Findings

Considering our German sample, we found demand for other apps than crisis apps for crisis-specific use cases (RQ1). While crisis apps were most demanded for warnings (U1), safety tips (U2), and emergency calls (U3), participants preferred messengers for communication (U5) and distraction (U7), news apps for looking up information (U4), and navigation apps for navigation (U6). These results support the findings of related work that dedicated crisis apps enjoy an increasing relevance for warnings, safety tips, and emergency calls and that crisis apps are perceived as more helpful sources for crisis communication than other channels. While in 2019, social media was still perceived as a quite or very helpful (50 %)




Figure 6: Rank Distribution Tendencies of Semantic Groups. This figure compares the app demand of semantic groups based on age (Figure 6a) and education (Figure 6b). Each figure features box plots to show the app demand in island operation (Q13) of a group (e.g., younger adults or participants with high education) for a selected app (e.g., messengers or crisis apps). Table 3 gives an overview of all considered variables.

information source [44], this perception decreased considerably until 2021 (only 28 %) in line with an increasing fear of false information disseminated through social media (54 % in 2019 vs. 76 % in 2021) and concerns about their reliability during emergencies (38 % in 2019 vs. 48 % in 2021) [93]. Furthermore, in both cited studies, messengers were the most used type of social media to search for and share information. This change in social media perception and use aligns with our findings that not social media but crisis, messengers and news apps were mentioned among the most important sources for warnings, safety tips and information. However, this work’s novel contribution compares use cases with general-purpose apps [109], highlighting the critical complementary roles of news and messenger apps.

In isolated areas with island connectivity (RQ2), German citizens report high demands for messengers, news apps, crisis apps, and social media apps. The demand for crisis apps was exceptionally high compared to normal operation, while the demand for shopping and travel apps dropped the most. Thus, being informed about the ongoing event alongside social exchange via messengers and social media constitutes essential smartphone-based activities in an island setting, emphasizing the need to provide them with decentralized local cellular connectivity [49, 106]. We assume that leisure activities such as entertainment, music, and gaming are still among important coping and distraction strategies, which, however, the widely available types of gaming, personal computers, and television devices [57] might fulfill. Overall, while prior user research examined the impact of infrastructure outages [35, 111], social media [94, 113], and warnings apps [36, 108] in crises, this work extends upon them by considering the concept of island connectivity.

We develop a smartphone service typology for island connectivity (RQ3) that combines smartphone apps and cellular services into tiers ordered by the criticality of their availability. Our typology

gives recommendations to MNOs, app operators, and authorities, e.g., to maintain emergency calls and cell broadcasts before ministering telephony and to prioritize the availability of messenger apps on islands over social media apps. These align with the resilience strategy of the German federal network agency that demands MNO to ensure essential services with the highest priority [12]. They also describe that MNOs should prioritize smartphone apps when the cellular network faces limited capacity, which aligns with applicable resilience definitions [51, 61]. We complement these general suggestions with a concrete typology that enables stakeholders to prioritize smartphone services.

6.2 Design Implications

We combined the crowd-sourced understanding gained from our survey with practice-informed knowledge of applicable standards and federal guidelines to derive a smartphone service typology. With the ongoing development of 6G, local connectivity on islands is still a vision, and many challenges remain to be solved by MNOs, smartphone app developers, and authorities. While the vision of island connectivity aligns well with the decentralized web [90] and local-first software [64], we emphasize that **the realization of islands and island connectivity poses non-trivial challenges for many stakeholders and requires a substantial review of current standards**. Proposing solutions to these challenges is outside the scope of this paper, but we outline design implications for selected involved parties in the following. With these, we support stakeholders in making user-centric design decisions during the realization of island connectivity as a part of 6G communication.

Towards Island-Ready 6G. The vital requirement to realize the vision of island connectivity in crisis-struck areas is the *distribution*

of the core network. Equipping every major city with a core network replica would improve resilience and maximize synchronization efforts and costs [21]. A trade-off could be to equip each metropolitan area with a core network replica or to co-locate each Internet gateway with a complete core network instance. The cellular network should be able to *transition into and out of island operation*. When an area is disconnected from the outside Internet, the core network replica should detect the isolation and enter island operation. Alternatively, Internet connections could follow a local-first approach [64] and access fallback to the Internet only when the requested content is unavailable on the local network edge. The *availability of critical smartphone services* should be prioritized depending on the crisis and the cellular network's capacity. Ideally, users could use all smartphone apps on islands, but MNOs might have to prioritize available services due to limited capacity. In that case, the smartphone service typology (RQ3) suggests making Tier 0 cellular services the main priority. At the same time, the availability of apps in Tiers 1 - 4 should be prioritized with descending priority, e.g., enabling citizen-to-citizen communication with messenger apps before enabling entertainment apps whose primary use case is distraction.

Towards Island-Ready Smartphone Apps. Our findings regarding RQ1 indicate that users would like to continue using general-purpose apps during crises, in addition to or instead of dedicated crisis apps. Therefore, apps should be available in island-ready 6G without requiring users to download a separate app version for island operation. Ideally, apps should be able to *transition into island operation* immediately when the area is disconnected from the outside Internet, which likely requires changes to the communication design of how apps connect to remote servers. Multi-access edge computing and local-first communication patterns [64] could play a central role in this endeavor, e.g., the app on a user's smartphone could connect to an app server on the local network edge, which (a) forwards traffic to a remote app server in normal operation or (b) enables local use of the app in island operation. For island operation, one specific challenge is ensuring security and privacy, as many apps rely on centralized trust infrastructure and identity providers, making it important to explore *local or decentralized authentication methods*. For messengers, which were most important to our participants overall, stronger emphasis needs to be placed on ensuring confidential end-to-end encrypted (E2EE) communication without requiring access to centralized authentication systems. Considering that the challenges of local connectivity will impact user interaction, *apps in island operation should be user-friendly*, i.e., how to announce the transition into island operation, how to establish trust locally, and how to explain to users the limitations of island connectivity for that app [42]. When the Internet connection is recovered, apps should be able to *transition out of island operation*, which likely requires the application of disruption-tolerant networking principles [38, 39, 71].

Towards Island-Ready Regulations. We envision that smartphone apps and 6G will be island-ready, supporting citizens during crisis response. Enabling island users to download smartphone apps

requires a *distributed crisis app store* on each island. To this end, app stores could be distributed similarly to app servers, providing a selection of apps and content suitable for potential crisis scenarios. Distributed app stores would further facilitate considering geographic factors when preparing a set of crisis-relevant apps for crisis scenarios. The responsibility for these app stores is an open problem, as is their content. On the one hand, the threat scenarios differ for each city, so the criticality of apps can also vary from city to city. This observation aligns with one participant's statement (P384), criticizing that "the scenario earthquake is implausible for Bremen. [...] A more suitable example would be flooding." For example, the Tier 3 app category weather apps should include tide forecasts for areas close to the sea, while areas in the mountains need rain and snow forecasts. On the other hand, managing app stores inflicts a lot of effort on municipalities, and leaving distributed crisis app stores under the authority of app operators or network providers might scale better.

Towards Island-Ready Users. Although our sample is limited to adult smartphone users from major German cities, previous research has identified different national risk cultures [23]. *State-oriented* risk cultures emphasize the state's responsibility for crisis prevention and management. *Individual-oriented* risk cultures describe that citizens assume their duties of being informed, prepared, and aware concerning risks. *Fatalistic* risk cultures are characterized by low confidence in their respective individual and state problem-solving potentials. While an appropriate level of both *citizen and state preparedness* and *response capabilities* is necessary, it seems essential to examine educational, political, and technological measures to prepare users and policymakers for the scenario of island connectivity. This shapes *transparency of smartphone service prioritization* to mitigate potential frustration upon the unavailability of functionality and *trust into critical infrastructure resilience*, including the expected outage durations [58].

6.3 Outlook and Future Work

In this paper, we have introduced the concept of island connectivity in crisis-struck areas to the HCI community. We acknowledge that this concept is visionary, and future work needs to solve many challenges before its realization.

Future HCI research. Our survey studied how adult smartphone users (over 18 and under 70) from major German cities prefer using smartphones in isolated cities. We decided to screen out other groups to align our study sample with our study subject. Nevertheless, insights from groups under-represented in our study can complement our findings very well, and we explicitly encourage future surveys that build upon our findings by studying other samples, e.g., participants from rural areas or from other countries. Upon acceptance of this paper, we will publish a replication package to facilitate such future studies. Our goal was to understand users' preferences about smartphone usage on islands with a focus on statistical and quantitative evaluation. Future qualitative studies can help refine our quantitative and statistical findings. Interviewing experts from app development, MNOs, and authorities can augment our user-centric findings with insights from other involved parties.

Surveys closer to real-world crisis scenarios, e.g., conducted in an affected area during crisis response, can support or contradict our findings. Connecting HCI research with one of the few available crisis-related datasets [5, 63] can create valuable insights.

Future 6G research. The design implications discussed in Section 6.2 give a first glance at the challenges left to be solved by future work. Most importantly, including distributed core networks in 6G is a paramount enabler of local connectivity in isolated areas. Future research can support app developers in making their smartphone apps island-ready by identifying suitable communication patterns for a swift transition into island operation.

7 Conclusion

The work reported in this paper makes two central contributions: Introducing the conceptual model of island connectivity and conducting the first survey ($N = 857$) of user preferences regarding smartphone usage on islands with local-only connectivity. With the upcoming standardization of 6G, it is crucial to understand the user perspective of island connectivity to support operators, developers, and authorities in making user-centric design decisions while realizing island connectivity.

We describe how 6G can facilitate island connectivity for crisis-struck areas and introduce the concept of island connectivity. We apply statistical and quantitative methods to learn that users prefer apps other than crisis apps for some crisis-specific use cases, e.g., messengers for communicating with other citizens and news apps to look up information (RQ1). App demands differ greatly in isolated areas compared to everyday life (RQ2). While news and crisis apps surge in demand, shopping and travel apps plummet. These findings are based on our survey whose design we describe in detail, proactively considering biases and limitations. We combine our survey's insights with applicable standards to develop a smartphone service typology (RQ3), organizing apps in tiers with descending criticality for isolated cities, distinguishing between apps crucial for crisis response and apps enabling crisis routine. From this classification, we derive implications for mobile network operators, app developers, and authorities, facilitating user-centric design decisions in the realization process of island-ready 6G.

Acknowledgments

This work has been co-funded by the Federal Ministry of Education and Research of Germany in the projects Open6GHub (grant number: 16KISK014) and CYLENCE (grant number: 13N16636), and by the LOEWE initiative (Hesse, Germany) within the emergenCITY center [LOEWE/1/12/519/03/05.001(0016)/72]. We thank the participants of our pilot study and the anonymous reviewers for their helpful suggestions, which helped improve this work. We thank Lea Holaus for the comics (Figures 1 and 3), Alexander Heinrich for supporting the qualitative data analysis, and Sebastian Perrig and Nicholas Scharowski for the helpful discussions on survey design.

Availability

We provide artifacts to verify, reproduce, and replicate our findings: With this paper, we publish our survey dataset and evaluation scripts [55] to verify and reproduce our results and the LimeSurvey survey structure to replicate our study.

References

- [1] 3GPP. 2023. *System architecture for the 5G System (5GS), Technical Specification (TS) 23.501, version 18.4.0*. Technical Specification. 3rd Generation Partnership Project (3GPP). <https://portal.3gpp.org/desktopmodules/Specifications/SpecificationDetails.aspx?specificationId=3144>
- [2] Hervé Abdi. 2007. Bonferroni and Sidák corrections for multiple comparisons. *Encyclopedia of measurement and statistics* 3, 01 (2007), 2007.
- [3] Firoj Alam, Ferda Ofli, and Muhammad Imran. 2020. Descriptive and visual summaries of disaster events using artificial intelligence techniques: case studies of Hurricanes Harvey, Irma, and Maria. *Behaviour & Information Technology* 39, 3 (2020), 288–318. Publisher: Taylor & Francis.
- [4] Hadi Alizadeh, Ayyoob Sharifi, Safiyeh Damanbagh, Hadi Nazarnia, and Mohammad Nazarnia. 2023. Impacts of the COVID-19 pandemic on the social sphere and lessons for crisis management: a literature review. *Natural Hazards* 117, 3 (2023), 2139–2164.
- [5] Flor Álvarez, Lars Almon, Patrick Lieser, Tobias Meuser, Yannick Dylla, Björn Richerzhagen, Matthias Hollick, and Ralf Steinmetz. 2018. Conducting a large-scale field test of a smartphone-based communication network for emergency response. In *Proceedings of the 13th Workshop on Challenged Networks*. ACM, New Delhi, India, 3–10.
- [6] Scott Anderson, Loqman Salamatin, Zachary S Bischof, Alberto Dainotti, and Paul Barford. 2022. iGDB: connecting the physical and logical layers of the internet. In *Proceedings of the 22nd ACM Internet Measurement Conference*. ACM, Madrid, Spain, 433–448.
- [7] Apple Inc. 2024. Categories and Discoverability - App Store. <https://developer.apple.com/app-store/categories/> [Accessed 2024-09-12].
- [8] Bahareh Bahrami, Mohammad Reza Khayyambashi, and Seyedali Mirjalili. 2023. Edge server placement problem in multi-access edge computing environment: models, techniques, and applications. *Cluster Computing* 26, 5 (2023), 3237–3262. Publisher: Springer.
- [9] BBK. 2024. Informationstechnik und Telekommunikation. https://www.bbk.bund.de/DE/Themen/Kritische-Infrastrukturen/Sektoren/Branchen/Informationstechnik-Telekommunikation/informationstechnik-telekommunikation_node.html [Accessed 2024-09-12].
- [10] Ali Behravan, Vijaya Yajnanarayana, Musa Furkan Keskin, Hui Chen, Deep Shrestha, Traian E. Abrudan, Tommy Svensson, Kim Schindhelm, Andreas Wolfgang, Simon Lindberg, and Henk Wymeersch. 2023. Positioning and Sensing in 6G: Gaps, Challenges, and Opportunities. *IEEE Vehicular Technology Magazine* 18, 1 (2023), 40–48.
- [11] Jelke Bethlehem. 2010. Selection bias in web surveys. *International statistical review* 78, 2 (2010), 161–188. Publisher: Wiley Online Library.
- [12] BNA. 2022. *Resilience of Telecommunications Networks*. Technical Report. Bundesnetzagentur (BNA). https://www.bundesnetzagentur.de/SharedDocs/Downloads/DE/Sachgebiete/Telekommunikation/Unternehmen_Institutionen/Strategiepapier_Resilienz_eng.pdf?__blob=publicationFile&v=2
- [13] BNA. 2024. Informationsplattform Schienengüterverkehr (ISA). <https://isa.bundesnetzagentur.de/home/#/> [Accessed 2024-09-12].
- [14] Robert Braden. 1989. *Rfc1122: Requirements for internet hosts-communication layers*. Technical Report. RFC Editor.
- [15] Florian Brühlmann, Serge Petralito, Lena F. Aeschbach, and Klaus Opwis. 2020. The quality of data collected online: An investigation of careless responding in a crowdsourced sample. *Methods in Psychology* 2 (2020), 100022. <https://doi.org/10.1016/j.metip.2020.100022>
- [16] BSI. 2023. *ZwiBACK-Studie: Zwischenfälle in Bezug auf Bedenken und Achtsamkeit bei der Cybersicherheit*. Technical Report. Bundesamt für Sicherheit in der Informationstechnik (BSI). https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Studien/ZwiBACK/ZwiBACK-Studie.pdf?__blob=publicationFile&v=3
- [17] Patrice Calégar, Frédéric Guidec, Pierre Kuonen, and Daniel Kobler. 1997. Parallel island-based genetic algorithm for radio network design. *J. Parallel and Distrib. Comput.* 47, 1 (1997), 86–90.
- [18] Carlos Castillo. 2016. *Big crisis data: social media in disasters and time-critical situations*. Cambridge University Press, New York, US.
- [19] Songyan Chen, Junjie Chen, and Hongjun Li. 2024. Joint optimization of UPF placement and traffic routing for 5G core network user plane. *Computer Communications* 216 (2024), 86–94. <https://doi.org/10.1016/j.comcom.2023.12.029>
- [20] Jacob Cohen. 1988. *Statistical Power Analysis for the Behavioral Sciences*. L. Erlbaum Associates, New York, US.
- [21] Marius Corici, Hemant Zope, Hauke Buhr, Christian Scheich, and Thomas Magedanz. 2024. Shortcuts: A Simple Mechanism for Reducing the Data Path Delay in Beyond 5G and 6G Networks. In *27th Conference on Innovation in Clouds, Internet and Networks (ICIN)*. IEEE, Paris, France, 47–51.
- [22] Marius-Julian Corici, Fabian Eichhorn, Roland Bless, Michael Gundall, Daniel Lindenschmitt, Bastian Bloessl, Marina Petrova, Lara Wimmer, Ronny Kreuch, Thomas Magedanz, et al. 2023. Organic 6G networks: Vision, requirements, and research approaches. *IEEE Access* 11 (2023), 70698–70715.

- [23] Alessio Cornia, Kerstin Dressel, and Patricia Pfeil. 2016. Risk cultures and dominant approaches towards disasters in seven European countries. *Journal of Risk Research* 19, 3 (2016), 288–304. Publisher: Taylor & Francis.
- [24] Cybersecurity and Infrastructure Security Agency. 2024. Communications Sector. <https://www.cisa.gov/topics/critical-infrastructure-security-and-resilience/critical-infrastructure-sectors/communications-sector> [Accessed 2024-09-12].
- [25] Cybersecurity and Infrastructure Security Agency. 2024. Information Technology Sector. <https://www.cisa.gov/topics/critical-infrastructure-security-and-resilience/critical-infrastructure-sectors/information-technology-sector> [Accessed 2024-09-12].
- [26] Irina Dallo and Michèle Marti. 2021. Why should I use a multi-hazard app? Assessing the public's information needs and app feature preferences in a participatory process. *International journal of disaster risk reduction* 57 (2021), 102197. Publisher: Elsevier.
- [27] GC Deepak, Alexandros Ladas, Yusuf Abdulrahman Sambo, Haris Pervaiz, Christos Politis, and Muhammad Ali Imran. 2019. An overview of post-disaster emergency communication systems in the future networks. *IEEE Wireless Communications* 26, 6 (2019), 132–139. Publisher: IEEE.
- [28] Destatis. 2024. Ausstattung privater Haushalte mit Informations- und Kommunikationstechnik - Deutschland. <https://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Einkommen-Konsum-Lebensbedingungen/Ausstattung-Gebrauchsgueter/Tabellen/liste-infotechnik-d.html#115502> [Accessed 2024-11-07].
- [29] Destatis. 2024. Großstadtregionen im Wandel. <https://www.destatis.de/DE/Themen/Querschnitt/Demografischer-Wandel/Aspekte/demografie-grossstadtregionen.html> [Accessed 2024-09-12].
- [30] Don A Dillman, Jolene D Smyth, and Leah Melani Christian. 2014. *Internet, phone, mail, and mixed-mode surveys: The tailored design method*. John Wiley & Sons, Hoboken, US.
- [31] Ramakrishnan Durairajan, Paul Barford, Joel Sommers, and Walter Willinger. 2015. InterTubes: A study of the US long-haul fiber-optic infrastructure. In *Proceedings of the 2015 ACM Conference on Special Interest Group on Data Communication*. ACM, London, United Kingdom, 565–578.
- [32] Frances L. Edwards. 2022. Crisis, Emergency, Disaster, and Catastrophe Defined. In *Global Encyclopedia of Public Administration, Public Policy, and Governance*, Ali Farazmand (Ed.). Springer International Publishing, Cham, 2793–2797. https://doi.org/10.1007/978-3-030-66252-3_2878
- [33] Kathrin Eismann, Oliver Posegga, and Kai Fischbach. 2016. Collective behaviour, Social Media, and disasters: a Systematic literature Review.. In *ECIS*. Association for Information Systems, Istanbul, Turkey, 1–20.
- [34] Dirk M. Elston. 2021. Survivorship bias. *Journal of the American Academy of Dermatology* 10 (2021), 1–2. <https://doi.org/10.1016/j.jaad.2021.06.845>
- [35] Alexander Fekete and Simone Sandholz. 2021. Here comes the flood, but not failure? Lessons to learn after the heavy rain and pluvial floods in Germany 2021. *Water* 13, 21 (2021), 3016. Publisher: MDPI.
- [36] Diana Fischer-Prefler, Dario Bonaretti, and Kai Fischbach. 2022. A protection-motivation perspective to explain intention to use and continue to use mobile warning systems. *Business & Information Systems Engineering* 64, 2 (2022), 167–182. Publisher: Springer.
- [37] Thomas Franke, Christiane Attig, and Daniel Wessel. 2019. A personal resource for technology interaction: development and validation of the affinity for technology interaction (ATI) scale. *International Journal of Human-Computer Interaction* 35, 6 (2019), 456–467. Publisher: Taylor & Francis.
- [38] Wei Gao and Guohong Cao. 2011. User-centric data dissemination in disruption tolerant networks. In *2011 Proceedings IEEE INFOCOM*. IEEE, Shanghai, China, 3119–3127.
- [39] Wei Gao, Guohong Cao, Arun Iyengar, and Mudhakar Srivatsa. 2011. Supporting cooperative caching in disruption tolerant networks. In *2011 31st International Conference on Distributed Computing Systems*. IEEE, Minneapolis, USA, 151–161.
- [40] GapFish GmbH. 2024. GapFish – Knowing what really matters. <https://gapfish.com> [Accessed 2024-09-12].
- [41] Robert Greszki, Marco Meyer, and Harald Schoen. 2015. Exploring the effects of removing “too fast” responses and respondents from web surveys. *Public Opinion Quarterly* 79, 2 (2015), 471–503. Publisher: Oxford University Press US.
- [42] Steffen Haesler, Ragnark Mogk, Florentin Putz, Kevin T. Logan, Nadja Thiessen, Katharina Kleinschnitger, Lars Baumgärtner, Jan-Philipp Stroscher, Christian Reuter, Michele Knodt, and Matthias Hollick. 2021. Connected Self-Organized Citizens in Crises: An Interdisciplinary Resilience Concept for Neighborhoods. In *CSCW '21 Companion: Conference Companion Publication of the 2021 on Computer Supported Cooperative Work and Social Computing*. ACM, Virtual Event, USA, 62–66. <https://doi.org/10.1145/3462204.3481749>
- [43] Yunita Astriani Hardayati and Mustikasari Mustikasari. 2019. The implementation of relaxation and distraction techniques on adolescents experiencing anxiety in earthquake prone areas. *International Journal of Nursing and Health Services (IJNHS)* 2, 3 (2019), 9–15.
- [44] Jasmin Haunschild, Marc-André Kaufhold, and Christian Reuter. 2020. Sticking with Landlines? Citizens' and Police Social Media Use and Expectation During Emergencies. In *Proceedings of the International Conference on Wirtschaftsinformatik (WI) (Best Paper Social Impact Award)*. AIS Electronic Library (AISeL), Potsdam, Germany, 1–16. https://doi.org/10.30844/wi_2020_o2-haunschild
- [45] Jasmin Haunschild, Marc-André Kaufhold, and Christian Reuter. 2022. Perceptions and Use of Warning Apps – Did Recent Crises Lead to Changes in Germany? In *Mensch und Computer - Tagungsband*. ACM, New York, 25–40. <https://doi.org/10.1145/3543758.3543770>
- [46] Jasmin Haunschild, Selina Pauli, and Christian Reuter. 2023. Preparedness Nudging for Warning Apps? A Mixed-Method Study Investigating Popularity and Effects of Preparedness Alerts in Warning Apps. *International Journal on Human-Computer Studies (IJHCS)* 172 (2023), 102995. <https://doi.org/10.1016/j.ijhcs.2023.102995>
- [47] Andrin Hauri, Kevin Kohler, and Benjamin Scharte. 2022. *A comparative assessment of mobile device-based multi-hazard warnings: Saving lives through public alerts in europe*. Technical Report. ETH Zurich.
- [48] Douglas D. Heckathorn. 2011. Comment: Snowball versus Respondent-Driven Sampling. *Sociological Methodology* 41, 1 (2011), 355–366. <https://doi.org/10.1111/j.1467-9531.2011.01244.x> eprint: <https://doi.org/10.1111/j.1467-9531.2011.01244.x>
- [49] Michael Heise, Martin Pietsch, Florian Steinke, Maximilian Bauer, and Burak Yilmaz. 2022. Optimized UAV Placement for Resilient Crisis Communication and Power Grid Restoration. In *2022 IEEE PES Innovative Smart Grid Technologies Conference Europe (ISGT-Europe)*. IEEE, Novi Sad, Serbia, 1–5. <https://doi.org/10.1109/ISGT-Europe54678.2022.9960494>
- [50] Joseph Henrich. 2015. Culture and social behavior. *Current opinion in behavioral sciences* 3 (2015), 84–89. Publisher: Elsevier.
- [51] Matthias Hollick, Anne Hofmeister, Jens Ivo Engels, Bernd Freisleben, Gerrit Hornung, Anja Klein, Michèle Knodt, Imke Lorenz, Max Mühlhäuser, Peter Pelz, and others. 2019. The emergency responsive digital city. In *2019 World Congress on Resilience, Reliability and Asset Management (WCRRAM)*. <http://tubiblio.ulb.tu-darmstadt.de/121649>. WCRRAM, Singapore, 136–143.
- [52] Muzammil Hussain, Ahmed Al-Haiqi, AA Zaidan, BB Zaidan, Miss Laiha Mat Kiah, Nor Badrul Anuar, and Mohamed Abdulnabi. 2015. The landscape of research on smartphone medical apps: Coherent taxonomy, motivations, open challenges and recommendations. *Computer methods and programs in biomedicine* 122, 3 (2015), 393–408.
- [53] Jonas Höchst, Lars Baumgärtner, Franz Kuntke, Alvar Penning, Artur Sterz, Markus Sommer, and Bernd Freisleben. 2023. Mobile Device-to-Device Communication for Crisis Scenarios Using Low-Cost LoRa Modems. In *Disaster Management and Information Technology: Professional Response and Recovery Management in the Age of Disasters*, Hans Jochen Scholl, Eric E. Holdeman, and F. Kees Boersma (Eds.). Springer International Publishing, Cham, 235–268. https://doi.org/10.1007/978-3-031-20939-0_12
- [54] Muhammad Imran, Carlos Castillo, Fernando Diaz, and Sarah Vieweg. 2015. Processing social media messages in mass emergency: A survey. *ACM Computing Surveys (CSUR)* 47, 4 (2015), 1–38. Publisher: ACM New York, NY, USA.
- [55] Leon Janzen, Florentin Putz, Kolja Straub, Marc-André Kaufhold, and Matthias Hollick. 2025. *Survey Dataset: The User Perspective on Island-Ready 6G Communication*. <https://doi.org/10.5281/zenodo.14812894>
- [56] Marc-André Kaufhold. 2024. Exploring the evolving landscape of human-centred crisis informatics: current challenges and future trends. *i-com - Journal of Interactive Media* 2 (2024), 155–163. <https://doi.org/10.1515/icom-2024-0002>
- [57] Marc-André Kaufhold, Julian Bäuml, and Christian Reuter. 2022. The Implementation of Protective Measures and Communication of Cybersecurity Alerts in Germany - A Representative Survey of the Population. In *Mensch und Computer 2022 - Workshopband (Mensch und Computer 2022 - Workshopband)*. Gesellschaft für Informatik, Darmstadt, 1–12. <https://doi.org/10.18420/muc2022-mci-ws01-228>
- [58] Marc-André Kaufhold, Margarita Grinko, Christian Reuter, Marén Schorch, Amanda Langer, Sascha Skudelny, and Matthias Hollick. 2019. Potentiale von IKT beim Ausfall kritischer Infrastrukturen: Erwartungen, Informationsgewinnung und Mediennutzung der Zivilbevölkerung in Deutschland. In *Proceedings of the International Conference on Wirtschaftsinformatik (WI)*. AIS, Siegen, Germany, 1054–1068. <https://aiselaisnet.org/wi2019/track09/papers/4/>
- [59] Marc-André Kaufhold, Thea Riebe, Markus Bayer, and Christian Reuter. 2024. 'We Do Not Have the Capacity to Monitor All Media': A Design Case Study on Cyber Situational Awareness in Computer Emergency Response Teams. In *Proceedings of the Conference on Human Factors in Computing Systems (CHI) (Best Paper Award) (CHI '24)*. Association for Computing Machinery, New York, NY, USA, 1–16. <https://doi.org/10.1145/3613904.3642368>
- [60] Marc-André Kaufhold, Nicola Rupp, Christian Reuter, and Matthias Habdank. 2020. Mitigating Information Overload in Social Media during Conflicts and Crises: Design and Evaluation of a Cross-Platform Alerting System. *Behaviour & Information Technology (BIT)* 39, 3 (2020), 319–342. <https://doi.org/10.1080/0144929X.2019.1620334>
- [61] Ladan Khaloopour, Yanpeng Su, Florian Raskob, Tobias Meuser, Roland Bless, Leon Würsching, Kamyar Abedi, Marko Andjelkovic, Hekma Chaari, Pousali Chakraborty, Michael Kreutzer, Matthias Hollick, Thorsten Strufe, Norman

- Franchi, and Vahid Jamali. 2024. Resilience-by-Design Concepts for 6G Communication Networks. <https://arxiv.org/abs/2405.17480> _eprint: 2405.17480.
- [62] Wolfgang Kiess and Ashiq Khan. 2014. Centralized vs. distributed: On the placement of gateway functionality in 5G cellular networks. In *2014 IEEE Global Communications Conference*. IEEE, Texas, United States of America, 4788–4793.
- [63] Jooho Kim and Makarand Hastak. 2018. Social network analysis: Characteristics of online social networks after a disaster. *International journal of information management* 38, 1 (2018), 86–96.
- [64] Martin Kleppmann, Adam Wiggins, Peter Van Hardenberg, and Mark McGranaghan. 2019. Local-first software: you own your data, in spite of the cloud. In *Proceedings of the 2019 ACM SIGPLAN International Symposium on New Ideas, New Paradigms, and Reflections on Programming and Software*. ACM, New York, US, 154–178.
- [65] Klaus Krippendorff. 2004. *Content Analysis: An Introduction to Its Methodology*. Sage Publications, Inc., London, UK.
- [66] Ivar Krumpal. 2013. Determinants of social desirability bias in sensitive surveys: a literature review. *Quality & quantity* 47, 4 (2013), 2025–2047. Publisher: Springer.
- [67] Franz Kuntke, Lars Baumgärtner, and Christian Reuter. 2023. Rural Communication in Outage Scenarios: Disruption-Tolerant Networking via LoRaWAN Setups. In *Proceedings of Information Systems for Crisis Response and Management (ISCRAM)*. Department of Information Systems & Quantitative Analysis, Omaha, US, Omaha, US, 1–13. https://idl.iscram.org/files/kuntke/2023/2581_Kuntke_etal2023.pdf
- [68] Franz Kuntke, Merve Bektas, Laura Buhleier, Ella Pohl, Rebekka Schiller, and Christian Reuter. 2023. How Would Emergency Communication Based on LoRaWAN Perform? Empirical Findings of Signal Propagation in Rural Areas. In *Proceedings of Information Systems for Crisis Response and Management (ISCRAM)*. Department of Information Systems & Quantitative Analysis, Omaha, US, Omaha, US, 1–8. https://idl.iscram.org/files/kuntke/2023/2586_Kuntke_etal2023.pdf
- [69] Jeremy Lakeman, Matthew Lloyd, Romana Challans, Angus Wallace, Paul Gardner-Stephen, Milan Stute, and Matthias Hollick. 2017. A practical and secure social media facility for internet-deprived populations. In *2017 IEEE Global Humanitarian Technology Conference (GHTC)*. IEEE, San Jose, USA, 1–9.
- [70] Glyn Lewis and Simon Wessely. 1992. The epidemiology of fatigue: more questions than answers. *Journal of epidemiology and community health* 46, 2 (1992), 92. Publisher: BMJ Publishing Group.
- [71] Feng Li and Jie Wu. 2009. MOPS: Providing content-based service in disruption-tolerant networks. In *2009 29th IEEE international conference on distributed computing systems*. IEEE, Montreal, Canada, 526–533.
- [72] Yuanzhe Li, Xiao Ma, Mengwei Xu, Ao Zhou, Qibo Sun, Ning Zhang, and Shangguang Wang. 2021. Joint placement of UPF and edge server for 6G network. *IEEE Internet of Things Journal* 8, 22 (2021), 16370–16378. Publisher: IEEE.
- [73] LimeSurvey. 2024. LimeSurvey - Free Online Survey Tool. <https://www.limesurvey.org/de> [Accessed 2024-09-12].
- [74] MASTD. 2021. Mobilfunk und Breitbandversorgung im Ahrtal weiter im Fokus. <https://mastd.rlp.de/service/presse/detail/mobilfunk-und-breitbandversorgung-im-ahrtal-weiter-im-fokus> [Accessed 2024-09-12].
- [75] James Mccauley, Scott Shenker, and George Varghese. 2023. Extracting the essential simplicity of the Internet. *Commun. ACM* 66, 2 (2023), 64–74.
- [76] Iain McLean, Arnold B. Urken, and Fiona Hewitt. 1995. *Classics of Social Choice*. University of Michigan Press, Michigan, US.
- [77] Adam W Meade and S Bartholomew Craig. 2012. Identifying careless responses in survey data. *Psychological methods* 17, 3 (2012), 437. Publisher: American Psychological Association.
- [78] François Michel, Martino Trevisan, Danilo Giordano, and Olivier Bonaventure. 2022. A first look at starlink performance. In *Proceedings of the 22nd ACM Internet Measurement Conference*. ACM, Nice, France, 130–136.
- [79] Thea Palsgaard Møller, Annette Kjær Ersbøll, Janne Schurmann Tolstrup, Doris Østergaard, Søren Viereck, Jerry Overton, Fredrik Folke, and Freddy Lippert. 2015. Why and when citizens call for emergency help: an observational study of 211,193 medical emergency calls. *Scandinavian journal of trauma, resuscitation and emergency medicine* 23 (2015), 1–10.
- [80] Neema Moraveji, Jason Li, Jiarong Ding, Patrick O’Kelley, and Suze Woolf. 2007. Comicboarding: using comics as proxies for participatory design with children. In *Proceedings of the SIGCHI conference on Human factors in computing systems*. ACM, San Jose, US, 1371–1374.
- [81] Simon Moss. 2008. Acquiescence bias. <http://www.psych-it.com.au/Psychlopedia/article.asp> [Accessed 2024-09-12].
- [82] Shreyasee Mukherjee, Ravishankar Ravindran, and Dipankar Raychaudhuri. 2018. A distributed core network architecture for 5G systems and beyond. In *Proceedings of the 2018 Workshop on Networking for Emerging Applications and Technologies*. ACM, Budapest, Hungary, 33–38.
- [83] Alexandra Olteanu, Sarah Vieweg, and Carlos Castillo. 2015. What to expect when the unexpected happens: Social media communications across crises. In *Proceedings of the 18th ACM conference on computer supported cooperative work & social computing*. ACM, Vancouver, Canada, 994–1009.
- [84] Francesco Palmieri, Ugo Fiore, Aniello Castiglione, Fang-Yie Leu, and Alfredo De Santis. 2013. Analyzing the internet stability in presence of disasters. In *Security Engineering and Intelligence Informatics: CD-ARES 2013 Workshops: MoCrySEn and SeCIHD, Regensburg, Germany, September 2-6, 2013. Proceedings* 8. Springer, Regensburg, Germany, 253–268.
- [85] Guy Paré, Marie-Claude Trudel, Mirou Jaana, and Spyros Kitsiou. 2015. Synthesizing information systems knowledge: A typology of literature reviews. *Information & management* 52, 2 (2015), 183–199.
- [86] Mukaddim Pathan, Rajkumar Buyya, and Athena Vakali. 2008. Content delivery networks: State of the art, insights, and imperatives. *Content Delivery Networks* 9 (2008), 3–32.
- [87] Karl Pearson. 1992. On the criterion that a given system of deviations from the probable in the case of a correlated system of variables is such that it can be reasonably supposed to have arisen from random sampling. In *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*. Vol. 50. Springer, New York, USA, 11–28.
- [88] Matteo Pozza, Ashwin Rao, Hannu Flinck, and Sasu Tarkoma. 2018. Network-in-a-box: A survey about on-demand flexible networks. *IEEE Communications Surveys & Tutorials* 20, 3 (2018), 2407–2428.
- [89] R Core Team. 2024. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org/> [Accessed 2024-09-12].
- [90] Aravindh Raman, Sagar Joglekar, Emiliano De Cristofaro, Nishanth Sastry, and Gareth Tyson. 2019. Challenges in the decentralised web: The mastodon case. In *Proceedings of the internet measurement conference*. ACM, Amsterdam, Netherlands, 217–229.
- [91] Christian Reuter, Oliver Heger, and Volkmar Pipek. 2013. Combining real and virtual volunteers through social media. In *Proceedings of the 10th International ISCRAM Conference*. KIT, Karlsruhe, Germany, Baden-Baden, Germany, 780–790.
- [92] Christian Reuter, Amanda Lee Hughes, and Marc-André Kaufhold. 2018. Social Media in Crisis Management: An Evaluation and Analysis of Crisis Informatics Research. *International Journal on Human-Computer Interaction (IJHCI)* 34, 4 (2018), 280–294. <https://doi.org/10.1080/10447318.2018.1427832>
- [93] Christian Reuter, Marc-André Kaufhold, Tom Biselli, and Helene Pleil. 2023. Increasing adoption despite perceived limitations of social media in emergencies: Representative insights on German citizens’ perception and trends from 2017 to 2021. *International Journal of Disaster Risk Reduction* 96 (2023), 103880. <https://doi.org/10.1016/j.ijdrr.2023.103880>
- [94] Christian Reuter, Marc-André Kaufhold, Stefka Schmid, Thomas Spielhofer, and Anna Sophie Hahne. 2019. The Impact of Risk Cultures: Citizens’ Perception of Social Media Use in Emergencies across Europe. *Technological Forecasting and Social Change (TFSC)* 148, 119724 (2019), 1–17. <https://doi.org/10.1016/j.techfore.2019.119724>
- [95] Christian Reuter, Marc-André Kaufhold, Thomas Spielhofer, and Anna Sophie Hahne. 2017. Social Media in Emergencies: A Representative Study on Citizens’ Perception in Germany. *Proc. ACM Hum.-Comput. Interact.* 1, CSCW (Dec. 2017), 1–19. <https://doi.org/10.1145/3134725> Place: New York, NY, USA Publisher: Association for Computing Machinery.
- [96] Matei Ripeanu. 2001. Peer-to-peer architecture case study: Gnutella network. In *Proceedings first international conference on peer-to-peer computing*. IEEE, Linköping, Sweden, 99–100.
- [97] Justus Rischke, Peter Sossalla, Sebastian Itting, Frank HP Fitzek, and Martin Reisslein. 2021. 5G campus networks: A first measurement study. *IEEE Access* 9 (2021), 121786–121803.
- [98] John Paul Rula. 2017. *Adopting a Gateway Centric View for Cellular Network Content Delivery*. PhD Thesis. Northwestern University.
- [99] Donald G Saari. 2000. Mathematical structure of voting paradoxes: II. Positional voting. *Economic Theory* 15 (2000), 55–102. Publisher: Springer.
- [100] Howard Schuman and Stanley Presser. 1996. *Questions and answers in attitude surveys: Experiments on question form, wording, and context*. Sage, London, UK.
- [101] Lucy Simko, Harshini Sri Ramulu, Tadayoshi Kohno, and Yasemin Acar. 2023. The Use and Non-Use of Technology During Hurricanes. *Proc. ACM Hum.-Comput. Interact.* 7, CSCW2 (Oct. 2023), 1–54. <https://doi.org/10.1145/3610215> Place: New York, NY, USA Publisher: Association for Computing Machinery.
- [102] Rishabh Singla, Shreyas Srinivasa, Narasimha Reddy, Jens Myrup Pedersen, Emmanouil Vasilomanolakis, and Riccardo Bettati. 2023. An Analysis of War Impact on Ukrainian Critical Infrastructure Through Network Measurements. In *2023 7th Network Traffic Measurement and Analysis Conference (TMA)*. IEEE, Napoli, Italy, 1–10. <https://doi.org/10.23919/TMA58422.2023.10199005>
- [103] Robert Soden and Leysia Palen. 2018. Informing crisis: Expanding critical perspectives in crisis informatics. *Proceedings of the ACM on human-computer interaction* 2, CSCW (2018), 1–22. Publisher: ACM New York, NY, USA.
- [104] Kate Starbird and Leysia Palen. 2011. “Volunteers” self-organizing by digital volunteers in times of crisis. In *Proceedings of the SIGCHI conference on human factors in computing systems*. ACM, Vancouver, Canada, 1071–1080.

- [105] Statista. 2024. Number of smartphone users worldwide 2016–2028. Online. <https://www.statista.com/statistics/330695/number-of-smartphone-users-worldwide/> [Accessed 2024-11-07].
- [106] Artur Sterz, Robin Klose, Markus Sommer, Jonas Höchst, Jakob Link, Bernd Simon, Anja Klein, Matthias Hollick, and Bernd Freisleben. 2023. Energy-Efficient Decentralized Broadcasting in Wireless Multi-Hop Networks. *Sensors* 23, 17 (2023), 7419. Publisher: MDPI.
- [107] Milan Stute, Max Maass, Tom Schons, and Matthias Hollick. 2017. Reverse Engineering Human Mobility in Large-scale Natural Disasters. In *Proceedings of the 20th ACM International Conference on Modelling, Analysis and Simulation of Wireless and Mobile Systems* (Miami, Florida, USA) (MSWiM '17). Association for Computing Machinery, New York, NY, USA, 219–226. <https://doi.org/10.1145/3127540.3127542>
- [108] Marion Lara Tan, Raj Prasanna, Kristin Stock, Emma EH Doyle, Graham Leonard, and David Johnston. 2020. Usability factors influencing the continuance intention of disaster apps: A mixed-methods study. *International Journal of Disaster Risk Reduction* 50 (2020), 101874. Publisher: Elsevier.
- [109] Marion Lara Tan, Raj Prasanna, Kristin Stock, Emma Hudson-Doyle, Graham Leonard, and David Johnston. 2017. Mobile applications in crisis informatics literature: A systematic review. *International journal of disaster risk reduction* 24 (2017), 297–311. Publisher: Elsevier.
- [110] George R Terrell and David W Scott. 1992. Variable kernel density estimation. *The Annals of Statistics* 20, 3 (1992), 1236–1265.
- [111] Annegret H Thieken, Philip Bubeck, Anna Heidenreich, Jennifer Von Keyserlingk, Lisa Dillenardt, and Antje Otto. 2023. Performance of the flood warning system in Germany in July 2021—insights from affected residents. *Natural hazards and earth system sciences* 23, 2 (2023), 973–990. Publisher: Copernicus GmbH.
- [112] Amos Tversky and Daniel Kahneman. 1974. Judgment under Uncertainty: Heuristics and Biases: Biases in judgments reveal some heuristics of thinking under uncertainty. *science* 185, 4157 (1974), 1124–1131.
- [113] Houcai Wang, Li Xiong, Chengwen Wang, and Nan Chen. 2022. Understanding Chinese mobile social media users' communication behaviors during public health emergencies. *Journal of Risk Research* 25, 7 (2022), 874–891. Publisher: Taylor & Francis.
- [114] Valentin Weber, Maria Pericás Riera, and Emma Laumann. 2023. *Mapping the World's Critical Infrastructure Sectors*. Technical Report. Forschungsinstitut der Deutschen Gesellschaft für Auswärtige Politik e.V. 9 pages. <https://www.ssoar.info/ssoar/handle/document/91328> Publisher: DEU.
- [115] Leon Würsching and Matthias Hollick. 2023. Maintaining App Services in Disrupted Cities: A Crisis and Resilience Evaluation Tool. In *NetMob '23 Book of Abstracts*. IMDEA, Madrid, Spain, Madrid, Spain, 141–142. <http://tubiblio.ulb.tu-darmstadt.de/140700/> event-place: Madrid, Spain.
- [116] Kerstin K Zander, Duy Nguyen, Milad Mirbabaie, and Stephen T Garnett. 2023. Aware but not prepared: understanding situational awareness during the century flood in Germany in 2021. *International journal of disaster risk reduction* 96 (2023), 103936. Publisher: Elsevier.
- [117] Kateryna Zarembo, Michèle Knodt, and Jannis Kachel. 2024. Smartphone resilience: ICT in Ukrainian civic response to the Russian full-scale invasion. *Media, War & Conflict* 0, 0 (2024), 17506352241236449. Publisher: SAGE Publications Sage UK: London, England.
- [118] Kyriakos Zarifis, Tobias Flach, Srikanth Nori, David Choffnes, Ramesh Govindan, Ethan Katz-Bassett, Z Morley Mao, and Matt Welsh. 2014. Diagnosing path inflation of mobile client traffic. In *Passive and Active Measurement: 15th International Conference, PAM 2014, Los Angeles, CA, USA, March 10–11, 2014, Proceedings 15*. Springer, Los Angeles, US, 23–33.
- [119] Haijun Zhang, Chunxiao Jiang, Rose Qingyang Hu, and Yi Qian. 2016. Self-organization in disaster-resilient heterogeneous small cell networks. *IEEE Network* 30, 2 (2016), 116–121. <https://doi.org/10.1109/MNET.2016.7437033>
- [120] Zesen Zhang, Alexander Marder, Ricky Mok, Bradley Huffaker, Matthew Luckie, Kimberly C Claffy, and Aaron Schulman. 2021. Inferring regional access network topologies: Methods and applications. In *Proceedings of the 21st ACM Internet Measurement Conference*. ACM, Virtual Event, USA, 720–738.
- [121] Shiyao Zhu, Dezhi Li, Haibo Feng, Tiantian Gu, Kasun Hewage, and Rehan Sadiq. 2020. Smart city and resilient city: Differences and connections. *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery* 10, 6 (2020), e1388. Publisher: Wiley Online Library.
- [122] Naomi Ziv and Revital Hollander-Shabtai. 2022. Music and COVID-19: Changes in uses and emotional reaction to music under stay-at-home restrictions. *Psychology of Music* 50, 2 (2022), 475–491.

A Questionnaire

We translated the transcript of the questionnaire from German to English. We did not provide the headlines and part descriptions during the survey.

A.1 Part 1: Consent and Screening

A.1.1 **Age (Q1)** . "How old are you?" ("Under 18", "18-29", "30-39", "40-49", "50-59", "60-69", "70+")

A.1.2 **Gender (Q2)** . "Which gender do you identify with?" ("Female", "Male", "Non-Binary", "Own description" with a text field, "Prefer not to disclose")

A.1.3 **Education (Q3)** . "What is your highest educational qualification?" ("None (yet)", "Hauptschulabschluss", "Polytechnische Oberschule", "Mittlere Reife, Realschulabschluss", "(Fach-)Hochschulreife", "Bachelor", "Master", "Diplom", "Promotion", "Other qualification" with a textfield)

A.1.4 **Income (Q4)** . "If you add up all the incomes of your household, Which of the following income groups does your monthly net household income fall into (i.e., household income after deducting taxes)?" ("under 1000 €", "1000 € to 1999 €", "2000 € to 2999 €", "3000 € to 3999 €", "4000 € to 4999 €", "5000 € and more", "No answer")

A.1.5 **Federal State (Q5)** . "In which federal state do you currently live?" ("Baden-Württemberg", "Bavaria", "Berlin", "Brandenburg", "Bremen", "Hamburg", "Hesse", "Mecklenburg-Western Pomerania", "Lower Saxony", "North Rhine-Westphalia", "Rhineland-Palatinate", "Saarland", "Saxony", "Saxony-Anhalt", "Schleswig-Holstein", "Thuringia")

A.1.6 **Citizen and Smartphone Ownership (Q6)** . "Have you lived in a major German city (population at least 100.000) for at least 1 year since 2008?" ("Yes", "No")

A.1.7 **City Name (Q7)** . "What is the name of the German city where you have lived for at least one year since 2008?" ("Aachen", "Augsburg", "Bergisch Gladbach", "Berlin", "Bielefeld", "Bochum", "Bonn", "Bottrop", "Braunschweig", "Bremen", "Bremerhaven", "Chemnitz", "Darmstadt", "Dortmund", "Dresden", "Duisburg", "Düsseldorf", "Erfurt", "Erlangen", "Essen", "Frankfurt am Main", "Freiburg im Breisgau", "Fürth", "Gelsenkirchen", "Göttingen", "Gütersloh", "Hagen", "Halle (Saale)", "Hamburg", "Hamm", "Hanau", "Hannover", "Heidelberg", "Heilbronn", "Herne", "Hildesheim", "Ingolstadt", "Jena", "Kaiserslautern", "Karlsruhe", "Kassel", "Kiel", "Koblenz", "Köln", "Krefeld", "Leipzig", "Leverkusen", "Lübeck", "Ludwigshafen am Rhein", "Magdeburg", "Mainz", "Mannheim", "Moers", "Mönchen-Gladbach", "Mülheim an der Ruhr", "München", "Münster", "Neuss", "Nürnberg", "Oberhausen", "Offenbach am Main", "Oldenburg (Oldb)", "Osnabrück", "Paderborn", "Pforzheim", "Potsdam", "Recklinghausen", "Regensburg", "Remscheid", "Reutlingen", "Rostock", "Saarbrücken", "Salzgitter", "Siegen", "Solingen", "Stuttgart", "Trier", "Ulm", "Wiesbaden", "Wolfsburg", "Wuppertal", "Würzburg")

A.1.8 **City Duration (Q8)** . "How many years have you lived in this city since 2008?" (Numerical input field)

A.1.9 **City Smartphone Usage Confirmation (Q9)** . "Have you owned and used a smartphone during this time?" ("Yes", "No")

A.2 Part 2: Everyday Smartphone Usage

A.2.1 *Daily Smartphone Screenshot (Q10)* . "Please estimate your average daily smartphone screen time in hours." (Hint: By screen time, we mean the time you actively use your smartphone. For example, Apple smartphones offer these values via the 'Screen Time' function. On newer Android smartphones, this function is called 'Digital Wellbeing'.) *(Numerical input field)*

A.2.2 *App Usage in Everyday Life (Q11)* . "Please sort the following app categories according to the frequency with which you use apps from these categories. Sort in descending order, i.e., the most frequently used app category should come first, and the least used app category should be last. If you never use certain app categories, you do not have to include them and can ignore them. However, you must specify at least one category." (Hint: The apps in brackets only suggest the respective categories. The mouse can move the elements between the left and right lists. A double-click moves an element to the other list.) *(positional voting of app_categories)*

A.3 Part 3: Crisis Smartphone Usage

A.3.1 *Crisis Introduction (Comic)* . "Below is a short comic board that introduces you to the scenario of this survey. When we mention major cities, please think of the_city." *The comic board as depicted in Figure 1.*

A.3.2 *App Demand for Crisis-Specific Use Cases (Q12)* . "In the previous comic, an earthquake was introduced as an example of a crisis. For the following crises, please indicate which apps you would use. The categories are the same as in Q11. Multiple answers are possible." (U1) "You want to receive warnings about the crisis. Which apps would you use?" *(app_categories, "Other" with a text field, "No app," "No answer")* (U2) "You want to receive tips on how to stay out of danger in the event of a crisis. Which apps would you use?" *(app_categories, "Other" with a text field, "No app," "No answer")* (U3) "You want to contact an emergency service (but calling 112 is not possible). Which apps would you use?" *(app_categories, "Other" with a text field, "No app," "No answer")* (U4) "You want to search for information about the crisis. Which apps would you use?" *(app_categories, "Other" with a text field, "No app," "No answer")* (U5) "You want to contact and communicate with other citizens. Which apps would you use?" *(app_categories, "Other" with a text field, "No app," "No answer")* (U6) "You want to navigate in the_city. Which apps would you use?" *(app_categories, "Other" with a text field, "No app," "No answer")* (U7) "You want to be distracted from the crisis. Which apps would you use?" *(app_categories, "Other" with a text field, "No app," "No answer")*

A.4 Part 4: Crisis Smartphone Interaction with Island Connectivity

A.4.1 *City Isolation Introduction (Comic)* . "The following comic builds on the previous scenario and expands on it, continuing the earthquake scenario in the_city." *The comicboard as depicted in Figure 3.*

A.4.2 *City Isolation Introduction (Video)* . "Please start the video if it does not start automatically. If this does not work either, there is a description of the video below the video."

A.4.3 *Video Transcript* . "First, you want to send a message to a friend outside the city using a messenger app. The message is usually sent via the Internet. However, the earthquake disconnected the city from the Internet, so the message could not reach its destination. After the recovery measures taken by the mobile network operator, all apps on your smartphone are available for local use. Therefore, you can continue using your already installed apps to a limited extent, e.g., you can only navigate inside the city with your navigation apps, only read the local newspaper app but not global newspaper apps, or only communicate with citizens inside the city with your messenger apps, but not with people outside the city."

A.4.4 *Video Description* . "You can see how a chat message, symbolized by a letter, is to be sent to another city. However, the message cannot be sent because your city is disconnected from the Internet. You can then see that the mobile operator enables the use of your smartphone apps locally. This means, for example, that you can only use your navigation apps to navigate within the city, that you can only read your local newspaper app but not a global news app, or that you can only use your messenger apps to communicate with people within the city but not with people outside it."

A.4.5 *App Usage in Isolated Cities (Q13)* . "The consequences of the earthquake have now lasted for several days. For this question, please assume that your apps work locally in the city, as the video explains. Apps from all categories are available in this way. Such local recovery measures are visions for the future that have not yet been implemented. To answer this question, please imagine that apps on your smartphone work locally, as shown in the comic and video. The categories are the same as for Q11 and Q12. Please sort the following app categories according to the frequency you use apps from these categories. Sort in descending order, i.e., the most frequently used app category should come first, and the least used app category should be last. If you never use certain app categories, you do not have to include them and can ignore them. However, you must specify at least one category." (Hint: The apps in brackets only suggest the respective categories. The mouse can move the elements between the left and right lists. A double-click moves an element to the other list.) *(positional voting of app_categories)*

A.5 Part 5: Control Variables and Data Quality

"The following questions are independent of the previous scenario and relate only to you as a person."

A.5.1 *Crisis Experience (Q14)* . "Please indicate which of the following crises you have experienced." (Hint: We are not counting the COVID-19 pandemic as a crisis here.) *("Earthquake," "Flooding," "Storm," "Wildfire," "War," "None," "Not sure" with a textfield)*

A.5.2 *Internet Outage Experience (Q15)* . "Please indicate which of the following Internet outages you have experienced." (Hint: Fixed network refers to your Internet access at home, e.g., via Wi-Fi.) "No Internet via fixed network but via cellular network." *("Never," "up to 1h," "up to 6h," "up to 12h," "up to 24h," "more than")*

24h", "Not sure") "No Internet via cellular network but via fixed network." <"Never," "up to 1h", "up to 6h", "up to 12h", "up to 24h", "more than 24h", "Not sure") "No Internet via fixed network nor cellular network." <"Never," "up to 1h", "up to 6h", "up to 12h", "up to 24h", "more than 24h", "Not sure")

A.5.3 Emergency Forces Experience (Q16) . "Are you currently working as an emergency worker, e.g., for the fire department, rescue service, police, or THW?" <"Yes," "No," "No answer," "Other" with a textfield)

A.5.4 ATI Scale with IRI (Q17) . "The following is about your interaction with technical systems. By 'technical systems,' we mean apps and other software applications as well as complete digital devices (e.g., cell phone, computer, TV, car navigation). Please indicate your level of agreement with the following statements." "I like to occupy myself in greater detail with technical systems." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "I like testing the functions of new technical systems." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "I predominantly deal with technical systems because I have to." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "When I have a new technical system in front of me, I try it extensively." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "I enjoy spending time becoming acquainted with a new technical

system." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "It is enough for me that a technical system works; I don't care how and why." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "Please indicate 'Completely disagree' here." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "I try to understand how a technical system exactly works." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "It is enough for me to know the basic functions of a technical system." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree") "I try to make full use of the capabilities of a technical system." <"Completely disagree," "Largely disagree," "Slightly disagree," "Slightly agree," "Largely agree," "Completely agree")

A.5.5 Technical Issues Textfield (Q18) . "Did you have any technical problems answering the questions?" <Text field)

A.5.6 Additional Comments Textfield (Q19) . "If you have anything else you want to tell us, please use the text field below." <Text field)

A.5.7 SRSI UseMe (Q20) . "Please be honest: This survey is important to our research. Should we use your answers for our studies?" (Hint: Do not worry; the answer to this question is only for our data analysis. We will not pass them on to GapFish or third parties; they will not affect your payment.) <"Yes", "No")

Table 3: Rank Distributions by Variable and Group. For each variable, this table compares the median rank $M_g(a)$ that app category a has scored in group g . There is a row per group g , e.g., younger participants or participants with medium technology affinity, and a column per app category a , e.g., messengers or news apps. Our participants did not have to rank all app categories, and those that they left unranked are consequently not included in the median calculation. Note that our overall rank calculation in Table 2 uses the Borda count [76], which accounts for unranked apps during the calculation (e.g., for crisis apps, which many participants did not include).

Variable	Category	Messengers	News	Crisis	Social Media	Weather	Web Browsers	Navigation	Entertainment	Music	Utilities	Reference	Finance	Food & Drink	Games	Productivity	Books	Health & Fitness	Medical	Shopping	Education	Travel	Creativity	Sports
Age	Younger	2	3	2	4	6	6	6	7	5	6	7	7	7	10	10	6	8	11	11	4	11	12	12.5
	Middle-Aged	2	3	1	4	6	5	5	8	7	6	7	8	8	9	10	7.5	9.5	8	11	8	14	12	14
	Older	2	3	1	4	5	5	4	8	12	6	10	9	10	11	9.5	5.5	13	7	14	9.5	12	16.5	12
Gender	Men	2	3	2	4	6	5	5	8	6	5	8	7	8	10	10	8	8	8	12	6.5	13	13	12
	Women	2	3	2	4	6	6	6	7	6	7	6	8	8	10	9.5	6	10	10	10	7	11	12	16
	Non-Binary	3	4	4	4	9	3	8	4.5	8		5	4	6	3.5		2	1	2	9.5				
Education	Low	2	3	1	4	5	5.5	4	6	6	5	5	14	9	8.5	10.5	6	10	5.5	8	11	11.5	16	13
	Medium	2	3	2	4	6	5	5	8	6	6	7	8	8	10	11	5	9	10	12	6	13	13	13
	High	2	3	2	4	6	6	5	7	5	7	8	7	8	10	9	8	9	10	11	7	11	12.5	14
Income	Low	2	3	1	4	5	5	5	7	6	6	6	11	9.5	8.5	8	6	10	7	11	5	11	13	14.5
	Medium	2	3	2	4	6	5	5	7.5	6	6	7	7	8	9.5	10	6	10	10.5	10	7.5	11	12	12
	High	2	3	2	4	6	6	6	8	7	7	8	7	7	11	10	7	8	9	13.5	6	14	14	14.5
City Size	Medium	2	3	1.5	4	5.5	5	5	6	5.5	6	7	7	6	9	9	9	11	10.5	10	8.5	10.5	13.5	9
	Smaller	2	3	1	4	6.5	6	5	10	7	5.5	5.5	9.5	8	11	11.5	5	7.5	8.5	12	5	15	14	16
	Larger	2	3	2	4	6	5.5	6	8	8	6	9	8	9	9.5	10	12	9	9	12	9	12.5	10	12
	Metropolis	2	3	1	4	5	5	5	7	5	6	6	7.5	7.5	9	8	6	10	10	8.5	5	11	15	15
Residence Time	Short	2	2	2	5	7	4	5	7	5.5	8	7	10	8.5	10	8	7.5	16.5	15	12	4	10	14	12
	Medium	2	3	2	5	7.5	6.5	5	8	5	6	7	9	8	11	7.5	7	8	9	11.5	7	11.5	13	13
	Long	2	3	1	4	6	5	5	7	7	6	7	7	8	9	10	6	9	9	11	7	13	13	13
Screen Time	Medium	2	3	1	4	5	5	5	7	7	6	7	8	9	11.5	10	5	9.5	8	14	6.5	14.5	13	15
	High	2	3	2	4	6	5	5	8	5	6	7	7	7	10	9	7	9.5	10	10	8	11	13.5	12
	Low	2	3	2	4	6	6	6	8	6	5.5	7	8	8	9	10.5	7	9	10	10	5	12	11.5	13
Crisis Experience	Yes	2	3	3	4	6	5	5	11	6	5.5	13	7	8	19.5	11	7.5	3	15	12	5.5	15.5	16.5	18
	No	2	3	1	4	6	5	5	7	6	6	7	8	8	10	10	6	10	10	11	7	12	13	13
Outage Experience	L. Out.: Yes	2	3	2	4	5	5	5	8	4	4	7.5	6.5	6	8	10	4.5	10	9	11	6	11	11	13
	L. Out.: No	2	3	1.5	4	6	6	5	7	6	6	7	8	8	10	10	7	9	10	11	7	12	13	13
	C. Out.: Yes	2	3	2	5	6	6	6	11	6	5.5	8	7	8.5	10.5	12	4	8	9	11	3.5	14	11	13
	C. Out.: No	2	3	1	4	6	5	5	7	6	6	7	8	8	10	9	7	10	10	11	7	12	13	13
	L.+C. Out.: Yes	2	3	2	5	6	6	6	11	6	5	9	6	7.5	9	10	5	8.5	9	10	4	13	10	11
	L.+C. Out.: No	2	3	1	4	6	5	5	7	6	6	7	8	8	10	9	6	9.5	10	12	7	12	14	14
First Responder	Yes	2	3	3	4	6	5	5	11	6	5.5	13	7	8	19.5	11	7.5	3	15	12	5.5	15.5	16.5	18
	No	2	3	1	4	6	5	5	7	6	6	7	8	8	10	10	6	10	10	11	7	12	13	13
Technology Affinity	Low	1	3	2	4	5	5	4	7	5	5	8	6	7.5	10	10	5	8	13	8	4	14	12	13
	Medium	2	3	2	4	6	5	5	7	6	6	7	8	8	10	10	6	9	10	11	6	12	12.5	13
	High	2	3	1	5	6.5	6	5	8	7	6	6.5	7.5	9	10	9	9	10	8	12	8	12	14.5	15

Table 4: Study Sample Description. This table describes our study sample in terms of the variables derived from the 20 questions of our questionnaire. We depict demographic variables from Q1 - Q4 and control variables from the remaining questionnaire. Q6 and Q9 were simple confirmations, dependent variables Q11 - Q13 answered our research questions (Section 5), and we used the open-ended questions Q18 - Q20 to discuss data quality. We introduce categories for each variable to simplify discussions about individual groups. For numerical variables, we report the mean μ , median M , and the inter-quartile range (IQR).

Variable	Category	Value	Goal	Sample ($N = 857$)	Description
Age (Q1)	Younger	18 yr to 29 yr	21 %	12 % (103)	
		30 yr to 39 yr	19 %	20 % (174)	
	Middle-Aged	40 yr to 49 yr	18 %	21 % (180)	
		50 yr to 59 yr	24 %	26 % (225)	
		60 yr to 69 yr	19 %	20 % (175)	
	Older	≥ 70 yr		0 % (0)	
Gender (Q2)	Men	Male	50 %	49 % (416)	
	Women	Female	50 %	51 % (437)	
	Non-Binary	Non-Binary		0 % (4)	
Education ¹ (Q3)	Low	Low	26 %	13 % (109)	
	Medium	Medium	33 %	59 % (502)	
	High	High	40 %	29 % (246)	
Income (Q4)	Low	<1000 €	6 %	6 % (48)	
		1000 € to 1999 €	16 %	18 % (152)	
	Medium	2000 € to 2999 €	22 %	24 % (202)	
		3000 € to 3999 €	21 %	22 % (186)	
		4000 € to 4999 €	22 %	16 % (135)	
	High	≥ 5000 €	14 %	14 % (122)	
Federal State (Q5)					Our sample covers all 16 federal states ² .
City Size (Q7)	Smaller	100 000 to 199 999		13 % (138)	Our sample covers 79 of the 82 German major cities
	Medium	200 000 to 499 999		22 % (201)	
	Larger	500 000 to 999 999		29 % (244)	
	Metropolis	$\geq 1\,000\,000$		32 % (274)	
Residence Time (Q8)	Short	<4 years		13 % (109)	$\mu = 13.48$; $M = 16$; IQR = 3
	Medium	4-9 years		59 % (502)	
	Long	≥ 10 years		29 % (246)	
Screen Time (Q10)	Low	<3 h		41 % (348)	$\mu = 3$ h 44 min; $M = 3$ h; IQR = 3 h
	Medium	3 h to 5 h		31 % (266)	
	High	≥ 5 h		28 % (243)	
Crisis Experience (Q14)	Earthquake			14 % (122)	
	Flooding			19 % (163)	
	Storm			49 % (424)	
	Wildfire			5 % (46)	
	War			3 % (24)	
Outage Experience ³ (Q15)	L Outage	≥ 6 h		25 % (213)	
	C. Outage	≥ 6 h		14 % (116)	
	L.+C. Outage	≥ 6 h		13 % (113)	
First Responder (Q16)				3 % (28)	
Technology Affinity (Q17)	Low	1 to 2.5		12 % (100)	$\mu = 3.68$; $M = 3.67$; IQR = 1.33; $\alpha = .9$
	Medium	2.5 to 4.5		67 % (578)	
	High	4.5 to 6		21 % (179)	

¹ "Low" is ("None (yet)," "Hauptschulabschluss"), "Medium" is ("Polytechnische Oberschule," "Mittlere Reife, Realschulabschluss," "(Fach-)Hochschulreife"), "High" is ("Bachelor," "Master," "Diplom," "Promotion").

² 6 % Baden-Württemberg (BW), 11 % Bavaria (BY), 16 % Berlin (BE), 1 % Brandenburg (BB), 2 % Bremen (HB), 8 % Hamburg (HH), 6 % Hesse (HE), 1 % Mecklenburg-Western Pomerania (MV), 5 % Lower Saxony (NI), 28 % North Rhine-Westphalia (NW), 3 % Rhineland-Palatinate (RP), 0 % Saarland (SL), 7 % Saxony (SN), 3 % Saxony-Anhalt (ST), 3 % Schleswig-Holstein (SH), and 2 % Thuringia (TH).

³ "L." and "C." are abbreviations for "Landline" and "Cellular," respectively.